

# Highest Quality Surgical Instrumentation



Designed and Manufactured by the  
Scanlan Family Since 1921





*Established 1921*

Today, the Scanlan legacy of excellence continues.

Celebrating over 96 years of excellence in surgical instrumentation,  
we continue our commitment to leadership and innovation  
in the medical community.



Dear Customer,

The Scanlan family has specialized in the design and manufacture of the highest quality surgical products since 1921. Now in our fourth generation, my family continues its dedication to providing you with the best surgical instrumentation available anywhere in the world.

This catalog is a composite of our instruments and single-use products. However, it is difficult to offer you a completely up-to-date catalog because, even as you are reading this, we are designing and refining even more unique and innovative products to serve you and, ultimately, your patients.

In the years ahead, we will continue to listen and serve you as personally as we have since our inception, with the vigor of the young, growing, and dynamic company that we are.

If I can ever be of assistance to you, please call me toll-free within the United States or Canada, or collect from anywhere in the world. Thank you for your continued support and demand for the finest.

Sincerely,

Timothy M. Scanlan  
President  
Chief Executive Officer




8008-15



SCANLAN®  
**Flemma Mitral Repair Scissors**  
Ring Handle | Full Curved Blades

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	8008-15	Round Curved Blades Flat Tips	12" (30.5 cm)


Ring Handle | Venous Valve (In Situ)

9009-128



SCANLAN®  
**Venous Valve Scissors (In Situ)**  
Ring Handle

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	9009-126	Straight Blades Blunt Tips	4" (10 cm)
	9009-128		9" (23 cm)

TEMPORARY OCCLUSION CLIPS / FORCEPS

Reliance Bulldog Clamps .....	6.1
Yasargil Clips .....	6.4
Heifetz™ Clips .....	6.6

SUNDT™ GRADUATED SUCTION SYSTEM..... 6.8

SCANLAN® CALIPER / KNIFE BLADE TOOL..... 6.10

SCANLAN® *MEMORY* INSTRUMENTS..... 6.11

VASCULAR DILATORS / VESSEL PROBES

SCANLAN® <i>MEMORY</i> Vascular Dilators / Vessel Probes .....	6.12
Vascular Dilators .....	6.13

STERN™ CHEST TUBE PASSER..... 6.14

Samson™ PHLEBECTOMY HOOKS..... 6.14

VALVULOTOMES..... 6.15

AORTA / VEIN PUNCHES (Re-useable)..... 6.16

HAND-HELD RETRACTORS

Pediatric .....	6.17
Valve .....	6.18
Hooks.....	6.19

SELF-RETAINING RETRACTORS

Pediatric .....	6.20
Loftus™ ACDF Distractor.....	6.23

DISSECTORS..... 6.24


NERVE HOOKS & PROBES..... 6.28

PLAQUE REMOVERS..... 6.29







INSTRUMENT SETS

Puskas™ Coronary Instruments – Basic Set .....	6.30
Puskas™ Coronary Instruments – Supplemental Set .....	6.32
Puskas™ Coronary Instruments – IMA Dissection Set .....	6.34
Dura Closure Set .....	6.36
Loftus™ Carotid Endarterectomy Set.....	6.38
Ochsner Endarterectomy Set.....	6.44
EC / IC Bypass Instrument Set .....	6.46
Sampson™ Phlebectomy Set .....	6.52





SCANLAN®  
**Reliance Bulldog Clamps**  
DeBakey Jaws

		Cat. No.	Description	Total Length
Straight		<b>NEW</b> 3795-52	40 mm Straight DeBakey Jaws	2 3/4" (7 cm)
		3795-50	25 mm Straight DeBakey Jaws	2" (5 cm)
		<b>NEW</b> 3795-56	15 mm Straight DeBakey Jaws	1 5/8" (4 cm)
		3795-54	7 mm Straight DeBakey Jaws	1 1/4" (3.2 cm)
Curved		3795-51	25 mm Curved DeBakey Jaws	2" (5 cm)
		<b>NEW</b> 3795-57	15 mm Curved DeBakey Jaws	1 5/8" (4 cm)

Firm Sale – May Be Available For Evaluation

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SPECIALTY  
http://www.scanlaninternational.com/product-category/instrumentation/specialty/



SCANLAN®  
Reliance Bulldog Applier / Introducer

	Cat. No.	Description	Shaft	Working Length	Total Length
	9009-395	Straight Jaws With Ratchet	8 mm	13 3/4" (35 cm)	17 1/3" (44 cm)




SCANLAN®  
Reliance Bulldog Applier / Introducer

	Cat. No.	Description	Shaft	Working Length	Total Length
	<b>NEW</b> 9009-393	Straight Jaws With Ratchet	8 mm	5" (12.7 cm)	9" (23 cm)

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SCANLAN®  
Recommended Reliance Bulldog Starter Pack

Recommended	QTY	Cat. No.	Description	Total Length
SCANLAN® V.I.P.™ Sterilization Tray	Choose 1	2133-03	SCANLAN® V.I.P.™ Micro Sterilization Tray With Scan-Guard™ Silicone Mat - Includes Hardware (Holds 3-4 Bulldogs)	1.5" x 3.5" x 1" (3.81 cm x 8.89 cm x 2.54 cm)
		<b>NEW</b> 2135-03	SCANLAN® V.I.P.™ Reliance Bulldog Sterilization Tray With Scan-Guard™ Silicone Mat (Holds 8-10 Bulldogs)	8 1/4" x 3 1/4" x 1 1/2" (21 cm x 8.3 cm x 3.8 cm)
Applier/Introducer	Choose 1	<b>NEW</b> 9009-393	Straight Jaws With Ratchet	9" (23 cm)
		9009-395		17 1/3" (44.5 cm)
SCANLAN® Reliance Bulldog Clamps	Up To 4 Of Any Combination	<b>NEW</b> 3795-52	40 mm Straight DeBakey Jaws	2 3/4" (7 cm)
		3795-50	25 mm Straight DeBakey Jaws	2" (5 cm)
		<b>NEW</b> 3795-56	15 mm Straight DeBakey Jaws	1 5/8" (4 cm)
		3795-54	7 mm Straight DeBakey Jaws	1 1/4" (3.2 cm)
		3795-51	25 mm Curved DeBakey Jaws	2" (5 cm)
		<b>NEW</b> 3795-57	15 mm Curved DeBakey Jaws	1 5/8" (4 cm)

Firm Sale – May Be Available For Evaluation

SPECIALTY  
http://www.scanlaninternational.com/product-category/instrumentation/specialty/



SPECIALTY  
http://www.scanlaninternational.com/product-category/instrumentation/specialty/

SPECIALTY  
http://www.scanlaninternational.com/product-category/instrumentation/specialty/



SCANLAN®

Yasargil Applying Forceps – Standard

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	3786-28	Bayonet Style Flat Handle	7 1/8" (18.1 cm)

SCANLAN®

Yasargil Clips – Light Pressure

Temporary occlusion clips are shown approximate size

	Cat. No.	Description
7 mm	 NEW 3785-20	Slight Curve
	 NEW 3785-21	Straight
9 mm	 NEW 3785-22	Straight
	 NEW 3785-24	Slight Curve
11 mm	 NEW 3785-26	Straight
	 NEW 3785-27	Slight Curve
15 mm	 NEW 3785-41	Straight
	 NEW 3785-42	Slight Curve
20 mm	 NEW 3785-43	Straight

SCANLAN®

Yasargil Clips – Firm Pressure

Temporary occlusion clips are shown approximate size

	Cat. No.	Description
7 mm	 NEW 3786-20	Slight Curve
	 3786-21	Straight
9 mm	 3786-22	Straight
	 3786-23	Angled
	 3786-24	Slight Curve
	 3786-25	Strong Curve
11 mm	 NEW 3786-26	Straight
	 NEW 3786-27	Slight Curve
	 NEW 3786-29	Strong Curve
	 NEW 3786-41	Straight
15 mm	 NEW 3786-42	Slight Curve
	 NEW 3786-43	Straight



SCANLAN®

Yasargil Applying Forceps – Mini

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	3786-40	Bayonet Style Flat Handle	8 1/2" (21.5 cm)

SCANLAN®


Yasargil Clips – Mini

Temporary occlusion clips are shown approximate size

	Cat. No.	Description
4 mm	 3786-30	Straight
6 mm	 3786-31	Straight
7 mm	 3786-32	Slight Curve

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SCANLAN®

Heifetz™ Apliers

Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	3795-01	Straight	7 1/4" (18.5 cm)
	3795-01A	Angled	

Heifetz™ Clips on page 6.7

SCANLAN®

Heifetz™ Clips – Light Pressure

Black

Temporary occlusion  
clips are shown  
approximate size

	Cat. No.	Description	
	3795-04	Straight	8 mm Jaw Length 1.75 mm Jaw Width
	3795-06	Angled On Edge	
	3795-08	Curved	
	3795-20	Straight	12 mm Jaw Length 2.25 mm Jaw Width
	3795-22	Curved	

Heifetz™ Apliers on page 6.6

SCANLAN®

Heifetz™ Clips – Firm Pressure

Gold

Temporary occlusion  
clips are shown  
approximate size

	Cat. No.	Description	
	3795-14	Straight	8 mm Jaw Length 1.75 mm Jaw Width
	3795-16	Angled On Edge	
	3795-18	Curved	
	3795-24	Straight	12 mm Jaw Length 2.25 mm Jaw Width
	3795-28	Curved	

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SCANLAN®  
SUNDT™ Graduated Suction System (Sets)

Each set includes seven suction tips, diameters (listed below),  
a universal suction handle (9009-930) and sterilization / storage case (9009-934)

Cat. No.	Description	3 Fr. •	4 Fr. •	5 Fr. •	6 Fr. •	7 Fr. •	9 Fr. ●	11 Fr. ●
9009-940	4 1/2" (11.5 cm) Rotatable Suction Tip Set	9009-941	9009-942	9009-943	9009-944	9009-945	9009-947	9009-949
9009-950	4 1/2" (11.5 cm) Non-Rotatable Suction Tip Set	9009-951	9009-952	9009-953	9009-954	9009-955	9009-957	9009-959
9009-960	5 1/4" (13.5 cm) Rotatable Suction Tip Set	9009-961	9009-962	9009-963	9009-964	9009-965	9009-967	9009-969
9009-970	5 1/4" (13.5 cm) Non-Rotatable Suction Tip Set	9009-971	9009-972	9009-973	9009-974	9009-975	9009-977	9009-979
9009-980	7 7/8" (19.8 cm) Rotatable Suction Tip Set	9009-981	9009-982	9009-983	9009-984	9009-985	9009-987	9009-989
9009-990	7 7/8" (19.8 cm) Non-Rotatable Suction Tip Set	9009-991	9009-992	9009-993	9009-994	9009-995	9009-997	9009-999

SCANLAN®  
SUNDT™ Graduated Suction Parts and Tray

Cat. No.	Description	Total Length
9009-928	Brush Set, Pack Of Ten (for 9009-940 9009-950, 9009-960 and 9009-970)	
9009-928-3	Brush Set, Pack Of Ten (for 9009-941 9009-951, 9009-961 and 9009-971)	
9009-929	Brush Set, Pack Of Ten (for 9009-980 and 9009-990)	
9009-929-3	Brush Set, Pack Of Ten (for 9009-981 and 9009-991)	
9009-930	Universal Suction Handle (fits all tip lengths and French sizes)	3" (7.5 cm)
9009-934	SCANLAN® V.I.P.™ Sundt™ Sterilization / Storage Tray, SCAN-GUARD™ Silicone Mat (fits all tips / lengths and handle)	6" x 10" x 1.5" (15.2 x 25.4 x 3.8 cm)

9009-930



Silicone mat in tray is not made with natural rubber latex.

SCANLAN®  
4 1/2" (11.5 cm) Tips  
for SUNDT™ Graduated Suction Systems



	3 Fr. •	4 Fr. •	5 Fr. •	6 Fr. •	7 Fr. •	9 Fr. ●	11 Fr. ●
Rotatable	9009-941	9009-942	9009-943	9009-944	9009-945	9009-947	9009-949
Non-Rotatable	9009-951	9009-952	9009-953	9009-954	9009-955	9009-957	9009-959

SCANLAN®  
5 1/4" (13.5 cm) Tips  
for SUNDT™ Graduated Suction Systems



	3 Fr. •	4 Fr. •	5 Fr. •	6 Fr. •	7 Fr. •	9 Fr. ●	11 Fr. ●
Rotatable	9009-961	9009-962	9009-963	9009-964	9009-965	9009-967	9009-969
Non-Rotatable	9009-971	9009-972	9009-973	9009-974	9009-975	9009-977	9009-979

SCANLAN®  
7 7/8" (19.8 cm) Tips  
for SUNDT™ Graduated Suction Systems



	3 Fr. •	4 Fr. •	5 Fr. •	6 Fr. •	7 Fr. •	9 Fr. ●	11 Fr. ●
Rotatable	9009-981	9009-982	9009-983	9009-984	9009-985	9009-987	9009-989
Non-Rotatable	9009-991	9009-992	9009-993	9009-994	9009-995	9009-997	9009-999


SUNDT™ Graduated Suction Tips do not include  
Universal Suction Handle (9009-930)

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SPECIALTY  
http://www.scanlaninternational.com/product-category/instrumentation/specialty/



8008-400

Caliper sideview shown  
approximate size

SCANLAN®  
Caliper

Cat. No.	Description	Total Length
8008-400	Scale With Black Matte Finish, Ring Handle	11" (28 cm)

Knife Blade Tool




8008-405

Instrument is shown approximate size

SCANLAN®  
Knife Bending and Blade Tool

Cat. No.	Description	Total Length
8008-405	DIAMOND DUST™ Jaws Open Spring Handle (for use with SCANLAN® MEMORY Knife Handle 8008-410)	7" (18 cm)








8008-430

8008-410

8008-420

SCANLAN®  
MEMORY Instruments

Instrument tips are shown  
approximate size

	Cat. No.	Description	Total Length
	8008-410	Knife Handle, Nitinol Shaft, Stainless Steel Flat Handle, Fits #15 And #11 Blades	9 1/2" (24 cm)
	8008-420	Mirror Instrument, Nitinol Shaft, Stainless Steel Round Handle, 1.5 X Magnification, 2 Pieces (handle, mirror)	9 7/8" (25 cm)
	8008-420-4	Replacement Mirror for MEMORY Mirror Instrument (8008-420), 1.5 X Magnification	
	8008-430	Nerve Hook, Nitinol Shaft And Angled Tapered Tip, Stainless Steel Round Handle	10" (25.4 cm)
	8008-432	Nerve Hook, Nitinol Shaft And Angled Flat Tip, Stainless Steel Round Handle	10" (25.4 cm)




Note:  
The detachable mirror for the SCANLAN® MEMORY Mirror Instrument is guaranteed to be free from defects in materials and workmanship for 90-days. It is not covered under the SCANLAN® 10-Year Warranty.

Nitinol is a metal alloy which is flexible and has shape memory. This means that the nitinol portion of the instrument can be bent by the user to a desired curved shape for use. The instrument will return back to its original shape when exposed to a temperature of 60°C - 90°C (140° - 194°F). Steam autoclaving exceeds this temperature and is the recommended method to return the nitinol portion of the instrument back to the original shape.

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SPECIALTY  
http://www.scanlaninternational.com/product-category/instrumentation/specialty/



SCANLAN®  
MEMORY Garrett Vascular Dilators & Vessel Probes

Shown approximate size	5 1/2" (14 cm) Cat. No.	8 1/4" (21 cm) Cat. No.	Description
	8008-448A	8008-449A	0.5 mm
	8008-448B	8008-449B	1.25 mm
	8008-448C	8008-449C	1.75 mm
	8008-452	8008-472	1 mm
	8008-454	8008-474	1.5 mm
	8008-456	8008-476	2 mm
	8008-458	8008-478	2.5 mm
	8008-460	8008-480	3 mm
	8008-462	8008-482	3.5 mm
	8008-464	8008-484	4 mm
	8008-466	8008-486	4.5 mm
	8008-468	8008-488	5 mm

Shown approximate size	8 1/4" (21 cm) Cat. No.	Description
	8008-493	1 / 1.5 mm
	8008-494	1.5 / 2 mm
	8008-495	2 / 2.5 mm



SCANLAN®  
Garrett Vascular Dilators & Vessel Probes

Shown approximate size	5 1/2" (14 cm) Cat. No.	8 1/4" (21 cm) Cat. No.	Description
	9009-48A	9009-49A	0.5 mm
	9009-48B	9009-49B	1.25 mm
	9009-48C	9009-49C	1.75 mm
	9009-52	9009-72	1 mm
	9009-54	9009-74	1.5 mm
	9009-56	9009-76	2 mm
	9009-58	9009-78	2.5 mm
	9009-60	9009-80	3 mm
	9009-62	9009-82	3.5 mm
	9009-64	9009-84	4 mm
	9009-66	9009-86	4.5 mm
	9009-68	9009-88	5 mm

Shown approximate size	8 1/4" (21 cm) Cat. No.	Description
	9009-93	1 / 1.5 mm
	9009-94	1.5 / 2 mm
	9009-95	2 / 2.5 mm

SCANLAN®  
Garrett Vascular Dilators & Vessel  
Probes Sets

Cat. No.	Description
9009-48	Set Of Three (one each) 9009-48A, -48B, -48C
9009-49	Set Of Three (one each) 9009-49A, -49B, -49C
9009-50	Set Of Nine (one each) 9009-52, -54, -56, -58, -60, -62, -64, -66, -68
9009-70	Set Of Nine (one each) 9009-72, -74, -76, -78, -80, -82, -84, -86, -88
9009-92	Set Of Three (one each) 9009-93 -94, -95

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SPECIALTY  
http://www.scanlaninternational.com/product-category/instrumentation/specialty/



4004-185

SCANLAN®  
Stern™ Chest Tube Passer

Cat. No.	Description	Total Length
4004-185	Without Ratchet	9 3/4" (24.8 cm)
4004-186	With Ratchet	
4004-189	Without Ratchet	14" (35.6 cm)

Phlebectomy Hooks



SCANLAN®  
Samson™ Phlebectomy Hooks, Black Platinum Handle

Designed in cooperation with Russell H. Samson, M.D.

Cat. No.	Description	Total Length
8008-230	Right Short	4 1/4" (11 cm)
8008-232	Left Short	
8008-236	Right Long	5 1/2" (14 cm)


SCANLAN®  
In Situ Valvulotomes

Cat. No.	Description	Total Length
9009-121	0.8 mm Cutting Edge (Retrograde)	9" (23 cm)
9009-122		10" (25.4 cm)
9009-123		12" (30.5 cm)
9009-120	Set Of Three (one each) 9009-121, -122, -123	



9009-123

Ring Handle | Venous Valve (In Situ)



9009-128

SCANLAN®  
Venous Valve Scissors  
Ring Handle

Instrument jaws are shown approximate size	Cat. No.	Description	Total Length
	9009-126	Straight Blades Blunt Tips	4" (10 cm)
	9009-128		9" (23 cm)


Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)


SPECIALTY  
http://www.scanlaninternational.com/product-category/instrumentation/specialty/



SCANLAN®  
Aorta / Vein Punch



1001-07



1001-05

SCANLAN®  
Aorta / Vein Punch

Cat. No.	Description
1001-04	4.0 mm With Sterilizing Box & Tray
1001-05	4.5 mm With Sterilizing Box & Tray
1001-06	5.5 mm With Sterilizing Box & Tray
1001-07	Sterilizing Box & Tray



1001-10

SCANLAN®  
Cochran Pediatric Retractors

Cat. No.	Description
1001-14	1/4" (6.4 mm) Wide, 6 1/2" (16.5 cm) Long
1001-13	3/8" (9.5 mm) Wide, 6 1/2" (16.5 cm) Long
1001-12	1/2" (12.7 mm) Wide, 6 1/2" (16.5 cm) Long
1001-11	5/8" (15.6 mm) Wide, 6 1/2" (16.5 cm) Long
1001-10	3/4" (19 mm) Wide, 6 1/2" (16.5 cm) long

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCANLAN®  
Hand-Held Retractors – Valve



SCANLAN®  
Ionescu Valve Retractors

Cat. No.	Description	Total Length
8008-02	Double-Ended Leaflet Valve Retractor, Small 6.0 mm And 7.5 mm	8 1/4" (21 cm)



SCANLAN®  
Ionescu Valve Retractors

Cat. No.	Description	Total Length
8008-04	Double-Ended Valve Retractor, Medium Curved 1.2 mm And 1.7 mm	7 1/8" (18.1 cm)



SCANLAN®  
Ionescu Valve Retractors

Cat. No.	Description	Total Length
8008-06	Double-Ended Valve Retractor, Large Curved 2.2 mm And 2.5 mm	9" (23 cm)

SCANLAN®  
Hand-Held Retractors – Hooks



SCANLAN®  
Bryant Mitral Hooks

Cat. No.	Description	Total Length
8008-10	Two Semi-Sharp Points	10 3/4" (27.3 cm)
8008-11	One Semi-Sharp Point	

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.


For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



8008-43  
Instrument is shown approximate size

SCANLAN®  
Pediatric Retractor

Cat. No.	Description	Spread	Arms	Blades
8008-43	Retractor With Interchangeable Blades Titanium	52 mm	40 mm	1 Pair: 10 mm Long x 15 mm Deep 1 Pair: 20 mm Long x 15 mm Deep



8008-41  
Instrument is shown approximate size

SCANLAN®  
Pediatric Finochietto Neonate Retractor

Cat. No.	Description	Spread	Arms	Blades
8008-41	Finochietto Neonate Sternal Retractor Stainless Steel	36 mm	37 mm	7 mm Long x 7 mm Deep



8008-42  
Instrument is shown approximate size

SCANLAN®  
Pediatric Finochietto Neonate Retractor

Cat. No.	Description	Spread	Arms	Blades
8008-42	Finochietto Neonate Sternal Retractor Titanium	36 mm	37 mm	7 mm Long x 7 mm Deep

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)





8008-45

SCANLAN®  
Bailey Finochietto Sternal Retractors


Cat. No.	Description	Spread	Arms	Blades
8008-45	Bailey Finochietto Sternal Retractor Titanium	80 mm	57 mm	20 mm Long x 20 mm Deep



8008-47

SCANLAN®  
Bailey Finochietto Sternal Retractors

Cat. No.	Description	Spread	Arms	Blades
8008-47	Bailey Finochietto Sternal Retractor Aluminum	80 mm	56 mm	15 mm Long x 15 mm Deep



8008-81  
Instrument is shown approximate size

SCANLAN®  
LOFTUS™ ACDF Distractor

Cat. No.	Description
8008-81	Loftus™ Two Level ACDF Distractor

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

9009-106



SCANLAN®  
Olivecrona Double-Ended Dissectors

Cat. No.	Description	Total Length
9009-100	With Ligature Guide	7" (18 cm)
9009-104		7 3/4" (19.7 cm)
9009-106		9 1/2" (24 cm)
9009-110	Without Ligature Guide	9 1/2" (24 cm)

9009-146



SCANLAN®  
Ochsner Double-Ended Dissectors

Cat. No.	Description	Total Length
9009-144	1 mm & 2 mm	7 1/8" (18.1 cm)
9009-146	3 mm & 4 mm	

3784-451



SCANLAN®  
Jacobson Retrograde Knives / Dissectors with Ball Tip

Cat. No.	Description	Total Length
3784-451	Ball Tip Bayonet Handle	7 1/2" (19 cm)

3784-45



SCANLAN®  
Yasargil Micro Arachnoidal Knives

Cat. No.	Description	Total Length
3784-44	Curved Upwards Bayonet Handle	7 1/4" (18.5 cm)
3784-45	Curved Downward Bayonet Handle	

3784-80



Firm Sale – May be available for evaluation

SCANLAN®  
Dissector Instrument Tray

Cat. No.	Description	Total Length
3784-80	SCANLAN® V.I.P.™ Metal Sterilization Trays (instruments not included)	9" x 5" x 2" (23 cm x 12.7 cm x 5 cm)

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

3784-12



SCANLAN®  
Yasargil Angled Micro Raspatories

Cat. No.	Description	Total Length
3784-12	Small	7 1/4" (18.5 cm)
3784-11	Large	
3784-09	Angled	

SCANLAN®  
Pennfield Dissector

Cat. No.	Description	Total Length
3781-16	Blunt 3 mm Curved Tip	8 3/4" (22 cm)
3781-10	Blunt 6 mm Tip	7 1/4" (18.5 cm)

3784-40



SCANLAN®  
Yasargil Micro Raspatories

Cat. No.	Description	Total Length
3784-40	Curved Downward Bayonet Handle	7 1/4" (18.5 cm)
3784-41	Curved Upwards Bayonet Handle	
3784-42	Slightly Curved Bayonet Handle	
3784-13	Strongly Curved Bayonet Handle	
3784-10	Round Handle Painted	

3784-43



SCANLAN®  
Yasargil Micro Curette

Cat. No.	Description	Total Length
3784-43	Micro Curette Bayonet Style	7 1/4" (18.5 cm)

9009-142



SCANLAN®  
Ochsner Angled Delicate Plane Finder Dissector

Cat. No.	Description	Total Length
9009-142	Angled With Ball	7 1/2" (19 cm)

3003-800



SCANLAN®  
Titanium Probe

Cat. No.	Description	Total Length
3003-800	Probe	10" (25.4 cm)

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SCANLAN®  
Micro Nerve Hooks & Probes

3784-32



SCANLAN®  
Krayenbuhl Micro Nerve and Vessel Hooks

Cat. No.	Description	Total Length
3784-32	Small	7 1/4" (18.5 cm)
3784-33	Large	

3784-31



SCANLAN®  
Krayenbuhl Micro Nerve and Vessel Hooks

Cat. No.	Description	Total Length
3784-30	Pointed Small	7 1/4" (18.5 cm)
3784-31	Pointed Large	

3784-14



SCANLAN®  
Jacobson Micro Probes

Cat. No.	Description	Total Length
3784-14	Angled	7 1/4" (18.5 cm)
3784-15	Straight 2-Probes	

SCANLAN®  
Plaque Removers

9009-150

Instrument is shown approximate size



SCANLAN®  
Ochsner Plaque Remover

Cat. No.	Description	Total Length
9009-150	Curved Fine Tips	6 1/8" (15.5 cm)
9009-152	Straight Fine Tips	

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCANLAN®  
**Puskas™ Coronary Instruments – Basic Set..... 9999-100**

Designed in cooperation with John D. Puskas, M.D.  
Total Set Includes The Items Listed On Pages 6.30 – 6.31



SCANLAN®  
**LEGACY Micro Forceps, Titanium**

Never Shear™ Dual Guide™ | Round Handle | 10 mm Diameter Knurling

Qty.	Cat. No. 0.5 mm Tips	Cat. No. 1.0 mm Tips	Description	Total Length
1	3003-770		Puskas™ Straight DIAMOND DUST™ Platform Ring Tips	7 1/8" (18.1 cm)
1		3003-778	1 x 2 Micro Teeth	8 1/4" (21 cm)
2	3003-810		Puskas™ Bayonet Style Straight 0.5 mm Straight DIAMOND DUST™ 1 x 2 Micro Teeth	8 3/4" (22 cm)

The Never Shear™ Dual Guide™ design was developed in cooperation with John D. Puskas, MD  
DUAL GUIDE™ Patent No. 8,147,512



SCANLAN®  
**LEGACY Puskas™ Jacobson Micro Needle Holders, Titanium**

8 mm Diameter Extended Knurling | Round Handle

Qty.	Cat. No.	Description	Recommended Suture Size	Total Length
1	3003-390	Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	5-0 and Smaller	9" (23 cm)
1	3003-381	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	8 1/4" (21 cm)

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

Total Set 9999-100 Includes The Items Listed On Pages 6.30 – 6.31

SCANLAN®  
**Lillehei-Potts Scissors**

Ring Handle | Curved Blades

Qty.	Super Cut™ Cat. No.	Description	Total Length
1	7007-262SC	SCANLAN® Puskas™ "Black Knight" Sharp Tips	6 1/2" (16.5 cm)



SCANLAN®  
**Puskas™ Premier™ Jacobson Micro Scissors**

Bayonet Handle | Nano Blades  
Developed in cooperation with John D. Puskas, M.D.

Qty.	Super Cut™ Cat. No.	Description	Total Length
1	7007-511	45° Angled Nano Blades	8" (20 cm)
1	7007-521	Angled Left, V-Neck 125° Angled Nano Blades	

SCANLAN®  
**V.I.P.™ Metal Sterilization Tray**

Qty.	Cat. No.	Description	Dimensions	Capacity
1	2140-03	Silver-Gray Color Aluminum	10" x 15" x 1.5" (25.4 x 38 x 3.8 cm)	10-12



SCANLAN®  
Puskas™ Coronary Instruments – Supplemental Set

SCANLAN®  
Puskas™ Coronary Instruments – Supplemental Set ..... 9999-101

Designed in cooperation with John D. Puskas, M.D.  
Total Set Includes The Items Listed On Pages 6.32 – 6.33



SCANLAN®  
**LEGACY Micro Forceps, Titanium**  
*Never Shear™ Dual Guide™* | Round Handle | 10 mm Diameter Knurling

Qty.	Cat. No.	Description	Total Length
1	3003-774	Puskas™ Straight DIAMOND DUST™ Platform Ring Tips 1 x 2 Micro Teeth	8 1/4" (21 cm)
1	3003-775	Puskas™ Curved DIAMOND DUST™ Platform Ring Tips 1 x 2 Micro Teeth	8 1/4" (21 cm)
1	3003-776	Puskas™ Angled DIAMOND DUST™ Platform Ring Tips 1 x 2 Micro Teeth	8 1/4" (21 cm)

The Never Shear™ Dual Guide™ design was developed in cooperation with John D. Puskas, MD  
DUAL GUIDE™ Patent No. 8,147,512



SCANLAN®  
**LEGACY Puskas™ Jacobson Micro Needle Holders, Titanium**  
8 mm Diameter Extended Knurling | Round Handle

Qty.	Cat. No.	Description	Recommended Suture Size	Total Length
1	3003-391	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	9 1/2" (24 cm)

SCANLAN®  
Puskas™ Coronary Instruments – Supplemental Set

Total Set 9999-101 Includes The Items Listed On Pages 6.32 – 6.33



SCANLAN®  
**Puskas™ Premier™ Jacobson Micro Scissors**  
Flat Handle | Bayonet Style | Nano Blades  
Developed in cooperation with John D. Puskas, M.D.

Qty.	Cat. No.	Description	Total Length
1	7007-514	Reversed Handle 45° Angled Left Nano Blades	8" (20 cm)
1	7007-522	Angled Right, V-Neck 125° Angled Nano Blades	



SCANLAN®  
**V.I.P.™ Metal Sterilization Tray**

Qty.	Cat. No.	Description	Dimensions	Capacity
1	2138-03	Silver-Gray Color Aluminum	10" x 10" x 1.5" (25.4 x 25.4 x 3.8 cm)	10-12

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SCANLAN®  
Puskas™ Coronary Instruments – IMA Dissection Set

SCANLAN®  
**Puskas™ Coronary Instruments – IMA Dissection Set..... 9999-102**  
Designed in cooperation with John D. Puskas, M.D.  
Total Set 9999-102 Includes The Items Listed On Pages 6.34 – 6.35



SCANLAN®  
**LEGACY Micro Forceps, Titanium**  
*Never Shear™ Dual Guide™ | Round Handle | 10 mm Diameter Knurling*

Qty.	Cat. No.	Description	Total Length
1	3003-779	Puskas™ Angled DIAMOND DUST™ Platform Ring Tips 1 x 2 Micro Teeth	8 1/4" (21 cm)

The Never Shear™ Dual Guide™ design was developed in cooperation with John D. Puskas, MD  
DUAL GUIDE™ Patent No. 8,147,512



SCANLAN®  
**Puskas™ Premier™ Jacobson Micro Scissors**  
Flat Handle | 45° Up Angled | IMA Glide™  
Developed in cooperation with John D. Puskas, M.D.

Qty.	Cat. No.	Description	Total Length
1	7007-506	LIMA, Left 90° Angled Fine Blades	8" (20 cm)
1	7007-507	RIMA, Right 90° Angled Fine Blades	

SCANLAN®  
Puskas™ Coronary Instruments – IMA Dissection Set

Total Set 9999-102 Includes The Items Listed On Pages 6.34 – 6.35  
7007-262SC



SCANLAN®  
**Lillehei-Potts Scissors**  
Ring Handle | Curved Blades

Qty.	Super Cut™ Cat. No.	Description	Total Length
1	7007-262SC	SCANLAN® Puskas™ "Black Knight" Sharp Tips	6 1/2" (16.5 cm)

SCANLAN®  
**V.I.P.™ Metal Sterilization Tray**

Qty.	Cat. No.	Description	Dimensions	Capacity
1	2138-03	Silver-Gray Color Aluminum	10" x 10" x 1.5" (25.4 x 25.4 x 3.8 cm)	10-12



Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCANLAN®  
Dura Closure Set..... 9999-109

Total Set Includes The Items Listed On Pages 6.36 – 6.37



SCANLAN®  
Minimally Invasive Fine Needle Holder – Ring Handle

Qty.	Cat. No.	Description	Total Length
1	9009-360	DIAMOND DUST™ Jaws Curved Sideways (5 mm) With Ratchet	11 1/2" (29 cm)



SCANLAN®  
Minimally Invasive Jacobson Needle Holder – Spring Style

Qty.	Cat. No.	Description	Total Length
1	9009-364	Round Handle 30° Angled Down DIAMOND DUST™ Curved Jaws	12 1/2" (32 cm)



SCANLAN®  
Minimally Invasive Chitwood Knot Tier / Pusher – Spring Style

Qty.	Cat. No.	Description	Total Length
1	9009-380	30° Angled Down Fine End For 5.0 Suture or Smaller	11 3/4" (30 cm)

Total Set 9999-109 Includes The Items Listed On Pages 6.36 – 6.37

2145-02



SCANLAN®  
V.I.P.™ Dura Closure Set Metal Sterilization Tray

Qty.	Cat. No.	Description	Dimensions	Capacity
1	2145-02	SCANLAN® Metal Sterilization Tray, Aluminum, Scan-Guard™ Silicone Inserts, Detachable Lid	10" x 16" x 2.5" (25.4 cm x 40.6 cm x 6.4 cm)	4-5

Dura Closure Set – Optional Instruments

SCANLAN®  
SUPER CUT™ Scissors  
Developed in cooperation with W. Randolph Chitwood Jr., MD

Cat. No.	Description	Shaft	Working Length	Total Length
9009-716SC	Straight Fine Blades 1 cm Blade Length Blunt Micro Tips Black Platinum Ring Handle	5 mm	6 1/2" (16.5 cm)	10 1/2" (27 cm)
9009-718SC	Curved Fine Blades 1 cm Blade Length Blunt Micro Tips Black Platinum Ring Handle			

SCANLAN®  
Micro Forceps  
Bayonet Style | Round Handle

Cat. No.	Description	Total Length
3789-20	0.8 mm Straight Tips	10" (25.4 cm)


Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCANLAN®  
Loftus™ Carotid Endarterectomy Set

SCANLAN®  
Loftus™ Carotid Endarterectomy Set..... 9999-181

Total Set Includes The Items Listed On Pages 6.38 – 6.43



SCANLAN®  
Clamps

Qty.	Cat. No.	Description	Total Length
1	2002-235	SCANLAN® Baby Vascular Clamp Cooley Jaws 45° Angled Jaws	5 3/4" (14.6 cm)
1	3003-614	SCANLAN® Micro Clamp, Titanium 60° Angled Jaws 23 mm Jaw Length	4 1/8" (10.5 cm)
1	4377-08	SCANLAN® DeBakey Cooley Forceps Carmalt Jaws with Cross Hatch Tips Right Angled Jaws	7 1/2" (19 cm)
1	9009-148	SCANLAN® Ochshner Forceps 90° Angled Very Fine Serrated Jaws	4 1/2" (11.5 cm)

SCANLAN®  
Loftus™ Carotid Endarterectomy Set

Total Set 9999-181 Includes The Items Listed On Pages 6.38 – 6.43



SCANLAN®  
Forceps

Qty.	Cat. No.	Description	Total Length
1	3003-04	Scanlan® DeBakey Dissecting Forceps Straight DeBakey 2 mm Tips Flat Handle	7 3/4" (19.5 cm)
1	3003-05	Scanlan® DeBakey Dissecting Forceps Straight DeBakey 1 mm Tips Flat Handle	7 3/4" (19.5 cm)
1	3003-158-8	Scanlan® Micro Forceps Straight DIAMOND DUST™ Platform Tips Round Handle	8 1/4" (21 cm)
1	3003-720	Scanlan® Dennis Micro Forceps 1 mm Straight DIAMOND DUST™ Ring Tips Round Handle	7" (18 cm)



SCANLAN®  
Needle Holders

Qty.	Cat. No.	Description	Recommended Suture Size	Total Length
1	3003-234-1	SCANLAN® Jacobson Micro Needle Holder Straight Fine DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	7-0 and Smaller	8 1/2" (21.5 cm)

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

Total Set 9999-181 Includes The Items Listed On Pages 6.38 – 6.43



SCANLAN®  
Super Cut™ Scissors

Qty.	Cat. No.	Description	Total Length
1	7007-211SC	Stevens Tenotomy Scissors Curved Blades Tenotomy Tips Ring Handle	7" (18 cm)
1	7007-218-3SC	Metzenbaum Scissors Curved Blades 2.5 mm Blunt Tips Ring Handle	7" (18 cm)
1	7007-254SC	Diethrich-Potts Scissors 60° Angled Micro Blades Ring Handle	7" (18 cm)
1	7007-320SC	DeBakey Scissors 45° Angled Blades Blunt Tips Ring Handle	6 1/4" (16 cm)

SCANLAN®  
Loftus™ Titanium Bulldog Shunt Clamps

Qty: One of the Following

Cat. No.	Description		Total Length
4385-40	10° Angled	10 Fr. ●	3 3/4" (9.5 cm)
4385-42	25° Angled		
4385-44	45° Angled		
4385-46	60° Angled		
4384-40	10° Angled	12 Fr. ●	3 3/4" (9.5 cm)
4384-42	25° Angled		
4384-44	45° Angled		
4384-46	60° Angled		
4383-40	10° Angled	14 Fr. ●	3 3/4" (9.5 cm)
4383-42	25° Angled		
4383-44	45° Angled		
4383-46	60° Angled		

(Set includes one of the following shunt clamps. Please indicate choice when placing order.)



SCANLAN®  
Ochsner Double-Ended Dissectors

Qty.	Cat. No.	Description	Total Length
1	9009-144	1 mm & 2 mm	7 1/8" (18.1 cm)
1	9009-146	3 mm & 4 mm	

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SCANLAN®  
Loftus™ Carotid Endarterectomy Set

Total Set 9999-181 Includes The Items Listed On Pages 6.38 – 6.43

SCANLAN®  
VASCU-STATT® Applier


Qty.	Cat. No.	Description	Total Length
1	1001-506	VASCU-STATT® Applier Straight	8 1/2" (21.5 cm)



1001-506

SCANLAN®  
VASCU-STATT® Plus


Qty.	Cat. No.	Description	Clamping Pressure
1	1001-550	VASCU-STATT® Plus Midi Straight	25-30 Grams



1001-550

SCANLAN®  
SURG-I-LOOP®

Qty.	Cat. No.	Description	Total Length
1	1001-76	SURG-I-LOOP® Red, Maxi	16 1/2" (42 cm)




1001-76

SCANLAN®  
Loftus™ Carotid Endarterectomy Set

Total Set 9999-181 Includes The Items Listed On Pages 6.38 – 6.43

SCANLAN®  
V.I.P.™ Sterilization Tray, Plastic

Cat. No.	Description	Dimensions	Capacity
2081-23	Plastic Clasps Additional 1/2 Tray Insert Scan-Guard™ Silicone Mats	15" x 10" x 1.5" (38 x 25.4 cm x 3.8 cm)	15+



2081-23

SCANLAN®  
V.I.P.™ Metal Sterilization Tray

Cat. No.	Description	Dimensions	Capacity
2138-03	Silver-Gray Color Aluminum Scan-Guard™ Silicone Inserts	10" x 10" x 1.5" (25.4 x 25.4 x 3.8 cm)	10-12



2138-03

Please indicate choice of sterilization tray at time of order.

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCANLAN®  
Ochsner Endarterectomy Set

SCANLAN®  
Ochsner Endarterectomy Set ..... 9999-192

Developed in cooperation with John L. Ochsner, M.D.  
Total Set Includes The Items Listed On Pages 6.44 – 6.45

SCANLAN®  
Clamps

Qty.	Cat. No.	Description	Total Length
1	9009-148	SCANLAN® Ochsner Forceps 90° Angled Very Fine Serrated Jaws	4 1/2" (11.5 cm)



SCANLAN®  
Forceps

Qty.	Cat. No.	Description	Total Length
1	4004-37	SCANLAN® DeBakey Needle Pulling Tissue Forceps 2 mm Straight Carbon-inlay Tips Flat Handle (Gold Handle)	7 1/2" (19 cm)
1	4004-224	SCANLAN® Dennis Micro Forceps 1 mm Straight DIAMOND DUST™ Ring Tips Counterbalanced	8 1/4" (21 cm)



SCANLAN®  
Ochsner Dissectors

Qty.	Cat. No.	Description	Total Length
1	9009-142	Angled Delicate Plane Finder Dissector, Angled With Ball	7 1/2" (19 cm)
1	9009-144	Double-Ended Dissectors 1 mm & 2 mm	7 1/8" (18.1 cm)
1	9009-146	Double-Ended Dissectors 3 mm & 4 mm	




SCANLAN®  
Ochsner Endarterectomy Set

Total Set 9999-192 Includes The Items Listed On Pages 6.44 – 6.45

SCANLAN®  
Ochsner Plaque Remover

Qty.	Cat. No.	Description	Total Length
1	9009-150	Curved Fine Tips Ring Handle	6 1/8" 15.5 cm)
1	9009-152	Straight Fine Tips Ring Handle	



SCANLAN®  
V.I.P.™ Metal Sterilization Tray

Qty.	Cat. No.	Description	Dimensions	Capacity
1	2138-03	Silver-Gray Color Aluminum Scan-Guard™ Silicone Inserts	10" x 10" x 1.5" (25.4 x 25.4 x 3.8 cm)	10-12



Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCANLAN®  
EC / IC Bypass Instrument Set

SCANLAN®  
**EC / IC Bypass Instrument Set** ..... **9999-166**  
Total set includes three subsets (9999-162, 9999-163, 9999-164) and are listed on pages 6.46 – 6.51  
EC / IC Bypass Instrument Set may be purchased as a set or as individual components.

SCANLAN®  
**EC / IC Bypass Instrument Set** ..... **9999-162**  
Set Includes The Items Listed On Pages 6.46 – 6.47



SCANLAN®  
**Forceps**  
Round Handle

Qty.	Cat. No.	Description	Total Length
1	3003-154-3	SCANLAN® Micro Suture Tying Forceps, Titanium 0.3 mm Straight Platform Gerald Type Taper DIAMOND DUST™ Tips	6" (15 cm)
1	3003-156-3	SCANLAN® Micro Suture Tying Forceps, Titanium 0.3 mm Curved Platform Gerald Type Taper DIAMOND DUST™ Tips	
1	3003-164	SCANLAN® Micro Forceps, Titanium 1 mm Straight DIAMOND DUST™ Ring Tips	
1	4004-03-3A	SCANLAN® Micro Suture Tying Forceps, Stainless Steel 0.3 mm Angled 45° Angled DIAMOND DUST™	5 1/2" (14 cm)

SCANLAN®  
EC / IC Bypass Instrument Set

Total set 9999-166 includes three subsets (9999-162, 9999-163, 9999-164) and are listed on pages 6.46 – 6.51  
EC / IC Bypass Instrument Set may be purchased as a set or as individual components.

SCANLAN®  
**Needle Holders**  
Round Handle

Qty.	Cat. No.	Description	Recommended Suture Size	Total Length
1	6006-56-3	SCANLAN® Castroviejo Micro Needle Holder, Stainless Steel 0.3 mm Tapered Curved DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet	8-0 and Smaller	5 3/4" (14.5 cm)



SCANLAN®  
**Jacobson Vannas Micro Scissors**  
Flat Handle

Qty.	Cat. No.	Description	Total Length
1	7007-140	SCANLAN® Jacobson Vannas Micro Scissors 45° Angled Micro Fine Blades Stainless Steel	7" (18 cm)



Optional SCANLAN® V.I.P.™ Sterilization Trays

Cat. No.	Description	Dimensions	Capacity
2138-03	Silver-gray color Scan-Guard™ Silicone Inserts	10" x 10" x 1.5" (25.4 x 25.4 x 3.8 cm)	8-10
2140-03	Silver-gray color Scan-Guard™ Silicone Inserts	10" x 15" x 1.5" (25.4 x 38 x 3.8 cm)	10-12
2141-03	Silver-gray color, base with accessory compartment Scan-Guard™ Silicone Inserts	10" x 15" x 2.6" (25.4 x 38 x 6.6 cm)	15+

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCANLAN®  
EC / IC Bypass Instrument Set

SCANLAN®  
EC / IC Bypass Instrument Set ..... 9999-166

Total set includes three subsets (9999-162, 9999-163, 9999-164) and are listed on pages 6.46 – 6.51  
EC / IC Bypass Instrument Set may be purchased as a set or as individual components.

SCANLAN®  
EC / IC Bypass Instrument Set ..... 9999-163

Set Includes The Items Listed On Pages 6.48 – 6.49



SCANLAN®  
Forceps  
Round Handle

Qty.	Cat. No.	Description	Total Length
1	3003-158-3	SCANLAN® Micro Forceps, Titanium Gerald Type Taper 0.3 mm Straight DIAMOND DUST™ Platform Tips	7 1/4" (18.5 cm)
1	3003-159-3	SCANLAN® Micro Forceps, Titanium Gerald Type Taper 0.3 mm Curved DIAMOND DUST™ Platform Tips	7 1/4" (18.5 cm)
1	3003-164	SCANLAN® Micro Forceps, Titanium 1 mm Straight DIAMOND DUST™ Ring Tips	6" (15 cm)
1	4004-97-3A	SCANLAN® Micro Forceps, Stainless Steel 0.3 mm Angled DIAMOND DUST™ 45° Angled	5 1/2" (14 cm)

SCANLAN®  
EC / IC Bypass Instrument Set

Total set 9999-166 includes three subsets (9999-162, 9999-163, 9999-164) and are listed on pages 6.46 – 6.51  
EC / IC Bypass Instrument Set may be purchased as a set or as individual components.

3003-177-3



SCANLAN®  
Jacobson Micro Needle Holders  
Round Handle

Qty.	Cat. No.	Description	Recommended Suture Size	Total Length
1	3003-177-3	SCANLAN® Jacobson Micro Needle Holder, Titanium 0.3 mm Tapered Curved DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet	8-0 and Smaller	7 1/4" (18.5 cm)

7007-140



SCANLAN®  
Scissors  
Flat Handle

Qty.	Cat. No.	Description	Total Length
1	7007-140	SCANLAN® Jacobson Vannas Micro Scissors 45° Angled Micro Fine Blades Spring Style Flat Handle	7" (18 cm)

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SCANLAN®  
EC / IC Bypass Instrument Set

SCANLAN®  
**EC / IC Bypass Instrument Set** ..... **9999-166**  
Total set includes three subsets (9999-162, 9999-163, 9999-164) and are listed on pages 6.46 – 6.51  
EC / IC Bypass Instrument Set may be purchased as a set or as individual components.

SCANLAN®  
**EC / IC Bypass Instrument Set** ..... **9999-164**  
Set Includes The Items Listed On Pages 6.50 – 6.51



SCANLAN®  
**Forceps**  
Bayonet Style | Flat Handle

Qty.	Cat. No.	Description	Total Length
1	3003-842	SCANLAN® Micro Forceps, Titanium 0.3 mm Straight DIAMOND DUST™ Tips	8 3/4" (22 cm)
1	3003-841	SCANLAN® Micro Forceps, Titanium 0.3 mm 45° Angle DIAMOND DUST™ Tips	
1	3003-840	SCANLAN® Micro Forceps, Titanium 0.3 mm Curved Up DIAMOND DUST™ Tips	
1	3003-851	SCANLAN® Micro Forceps, Titanium 1 mm DIAMOND DUST™ Ring Tips	

SCANLAN®  
EC / IC Bypass Instrument Set

Total set 9999-166 includes three subsets (9999-162, 9999-163, 9999-164) and are listed on pages 6.46 – 6.51  
EC / IC Bypass Instrument Set may be purchased as a set or as individual components.



SCANLAN®  
**Micro Needle Holders**  
Bayonet Style | Round Handle

Qty.	Cat. No.	Description	Recommended Suture Size	Total Length
1	3789-14-3	SCANLAN® Micro Needle Holder, Stainless Steel 0.3 mm Curved Up DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet	8-0 and Smaller	9" (23 cm)



SCANLAN®  
**Micro Scissors**  
Bayonet Style | Flat Handle

Qty.	Cat. No.	Description	Total Length
1	3788-02	SCANLAN® Micro Scissors Vannas 45° Angled Up On Flat Micro Fine Blades	8 3/4" (22 cm)

Optional SCANLAN® V.I.P.™ Sterilization Trays

Cat. No.	Description	Dimensions	Capacity
2138-03	Silver-gray color Scan-Guard™ Silicone Inserts	10" x 10" x 1.5" (25.4 x 25.4 x 3.8 cm)	8-10
2140-03	Silver-gray color Scan-Guard™ Silicone Inserts	10" x 15" x 1.5" (25.4 x 38 x 3.8 cm)	10-12
2141-03	Silver-gray color, base with accessory compartment, Scan-Guard™ Silicone Inserts	10" x 15" x 2.6" (25.4 x 38 x 6.6 cm)	15+

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.


For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCANLAN®  
**Samson™ Phlebectomy Set**..... **9999-150**  
Set Includes The Items Listed On Pages 6.52 – 6.53



SCANLAN®  
**Samson™ Phlebectomy Hooks, Black Platinum Handle**  
Designed in cooperation with Russell H. Samson, M.D.

Qty.	Cat. No.	Description	Total Length
1	8008-230	Right Short	4 1/4" (11 cm)
1	8008-236	Right Long	5 1/2" (14 cm)



SCANLAN®  
**Delicate Mosquito Forceps**

Qty.	Cat. No.	Description	Total Length
1	5005-86	Very Fine Curved Jaws	5" (12.7 cm)
1	5005-88	Curved Jaws 1 x 2 Teeth	



SCANLAN®  
**Vascular Mosquito Forceps**

Qty.	Cat. No.	Description	Total Length
1	5005-82	Curved Jaws Sharp Grasping Serrations	5" (12.7 cm)

Total set 9999-150 includes The Items Listed On Pages 6.52 – 6.53




SCANLAN®  
**Stevens Tenotomy Scissors**  
Ring Handle

Qty.	Super Cut™ Cat. No.	Description	Total Length
1	7007-210SC	Curved Blades Tenotomy Tips	4 5/8" (11.7 cm)

SCANLAN®  
**V.I.P.™ Plastic Sterilization Tray**

Qty.	Cat. No.	Description	Dimensions	Capacity
1	2081-11	Scan-Guard™ Silicone Mats	10" x 6" x 0.7" (25.4 cm x 15 cm x 1.8 cm)	6-10



## Samson™ Phlebectomy Set – Optional Products

SCANLAN®  
**Samson™ Phlebectomy Hooks, Black Platinum Handle**  
Designed in cooperation with Russell H. Samson, M.D.

Qty.	Cat. No.	Description	Total Length
1	8008-232	Left Short	4 1/4" (11 cm)

SCANLAN®  
**Phlebectomy Haemostat**

Qty.	Cat. No.	Description	Total Length
1	5005-80	90° Angled Very Fine Jaws Sharp Grasping Serrations	4 1/2" (11.5 cm)

SCANLAN®  
**Surgical Skin Markers**

Cat. No.	Description
1001-710	Gentian Violet Regular Tip

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCANLAN®  
**Samson™ Phlebectomy Set**..... **9999-151**  
Set Includes The Items Listed On Pages 6.54 – 6.55

SCANLAN®  
**Samson™ Phlebectomy Hooks, Black Platinum Handle**  
Designed in cooperation with Russell H. Samson, M.D.


Qty.	Cat. No.	Description	Total Length
1	8008-230	Right Short	4 1/4" (11 cm)
1	8008-236	Right Long	5 1/2" (14 cm)

SCANLAN®  
**Delicate Mosquito Forceps**

Qty.	Cat. No.	Description	Total Length
1	5005-86	Very Fine Curved Jaws	5" (12.7 cm)
1	5005-88	Curved Jaws 1 x 2 Teeth	

SCANLAN®  
**Vascular Mosquito Forceps**

Qty.	Cat. No.	Description	Total Length
1	5005-82	Curved Jaws Sharp Grasping Serrations	5" (12.7 cm)



Total set 9999-151 includes The Items Listed On Pages 6.54 – 6.55

SCANLAN®  
**Stevens Tenotomy Scissors**  
Ring Handle

Qty.	Super Cut™ Cat. No.	Description	Total Length
1	7007-210SC	Curved Blades Tenotomy Tips	4 5/8" (11.7 cm)

SCANLAN®  
**V.I.P.™ Metal Sterilization Tray**

Qty.	Cat. No.	Description	Dimensions	Capacity
1	2138-03	Silver-Gray Color Aluminum Scan-Guard™ Silicone Inserts	10" x 10" x 1.5" (25.4 x 25.4 x 3.8 cm)	10-12

Samson™ Phlebectomy Set – Optional Products

SCANLAN®  
**Samson™ Phlebectomy Hooks, Black Platinum Handle**  
Designed in cooperation with Russell H. Samson, M.D.

Qty.	Cat. No.	Description	Total Length
1	8008-232	Left Short	4 1/4" (11 cm)

SCANLAN®  
**Phlebectomy Haemostat**

Qty.	Cat. No.	Description	Total Length
1	5005-80	90° Angled Very Fine Jaws Sharp Grasping Serrations	4 1/2" (11.5 cm)



SCANLAN®  
**Surgical Skin Markers**

Cat. No.	Description
1001-710	Gentian Violet Regular Tip



Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



BIOPSY FORCEPS

D'Amico Biopsy Forceps .....	7.1
D'Amico Mediastinoscopy Biopsy Forceps .....	7.2

CLAMPS

Gonzalez-Rivas Lung Grasping Clamp .....	7.3
Foerster .....	7.3
Duval .....	7.6
Node Grasper .....	7.7
Kahn Decortication Grasper .....	7.8
Allis .....	7.8
D'Amico .....	7.9
Dennis Dissector .....	7.10
Chitwood DeBakey .....	7.11
Gonzalez-Rivas Dissector .....	7.15
DeBakey Cooley (Right Angle) .....	7.16
Harken .....	7.17

SCISSORS

Ring Handle .....	7.18
-------------------	------

FORCEPS

Axial Handle .....	7.20
Spring Style .....	7.22

NEEDLE HOLDERS

Spring Style .....	7.23
Ring Handle .....	7.24
Axial Handle .....	7.28



SPECIALTY

Chitwood Knot Tier / Pusher .....	7.30
Chitwood Suture Cutter .....	7.31
Suction Instruments	
Wolf .....	7.32
Dennis .....	7.33
D'Amico .....	7.34
Suction Accessories .....	7.35
Chitwood Suture Puller .....	7.36
Stern™ Chest Tube Passer .....	7.36



301-0110.....	9.12	1001-79 .....	9.10	1001-301 .....	8.11
301-0120 .....	9.12	1001-80 .....	9.10	1001-302 .....	8.11
301-0130 .....	9.12	1001-81 .....	9.10	1001-303 .....	8.11
1001-04 .....	6.16	1001-81M .....	9.10	1001-304 .....	8.11
1001-05 .....	6.16	1001-81P.....	9.10	1001-305 .....	8.11
1001-06 .....	6.16	1001-82 .....	9.10	1001-306 .....	8.11
1001-07 .....	6.16	1001-82P.....	9.10	1001-307 .....	8.11
1001-10 .....	6.17	1001-83 .....	9.1	1001-308 .....	8.11
1001-11.....	6.17	1001-84 .....	8.11	1001-309 .....	8.11
1001-12 .....	6.17	1001-85 .....	8.11	1001-400 .....	8.11
1001-13 .....	6.17	1001-86 .....	8.11	1001-401 .....	8.11
1001-14 .....	6.17	1001-87 .....	8.11	1001-402 .....	8.11
1001-21 .....	5.39	1001-88 .....	8.11	1001-403 .....	8.11
1001-23 .....	5.39	1001-89 .....	8.11	1001-404 .....	8.11
1001-49 .....	8.1	1001-90 .....	8.11	1001-405 .....	8.11
1001-54 .....	2.56	1001-91 .....	8.11	1001-406 .....	8.11
1001-59 .....	8.1	1001-92 .....	8.11	1001-407 .....	8.11
1001-60 .....	8.1	1001-93 .....	8.11	1001-408 .....	8.11
1001-61 .....	8.1	1001-94 .....	8.1	1001-409 .....	8.11
1001-64 .....	8.1	1001-95 .....	8.1	1001-499 .....	9.6
1001-65 .....	8.1	1001-96 .....	8.1	1001-500 .....	9.7
1001-66 .....	8.1	1001-97 .....	8.1	1001-501 .....	9.7
1001-67 .....	8.1	1001-98 .....	8.1	1001-502 .....	9.7
1001-68 .....	8.1	1001-99 .....	8.1	1001-503 .....	9.7
1001-69 .....	8.1	1001-200 .....	8.11	1001-504 .....	9.7
1001-70 .....	8.1	1001-201 .....	8.11	1001-505 .....	9.7
1001-71 .....	8.1	1001-202 .....	8.11	1001-506 .....	6.42, 9.9
1001-72 .....	9.11	1001-203 .....	8.11	1001-506A.....	9.9
1001-73 .....	9.11	1001-204 .....	8.11	1001-506M .....	9.9
1001-74 .....	9.11	1001-205 .....	8.11	1001-507 .....	9.8
1001-75 .....	9.10	1001-206 .....	8.11	1001-508 .....	9.8
1001-76 .....	6.42, 9.10	1001-207 .....	8.11	1001-509 .....	9.8
1001-77 .....	9.10	1001-208 .....	8.11	1001-510 .....	9.8
1001-78 .....	9.10	1001-209 .....	8.11	1001-511.....	9.8
1001-78A.....	9.10	1001-300 .....	8.11	1001-512 .....	9.8

1001-513 .....	9.12	1001-575 .....	9.7	1001-640 .....	8.1
1001-514 .....	9.12	1001-580 .....	9.8	1001-641 .....	8.1
1001-515 .....	9.12	1001-581 .....	9.8	1001-642 .....	8.1
1001-516 .....	9.12	1001-582 .....	9.8	1001-643 .....	8.1
1001-520 .....	9.13	1001-583 .....	9.8	1001-710 .....	6.53, 6.55, 9.14
1001-529 .....	9.6	1001-584 .....	9.8	1001-725 .....	9.14
1001-530 .....	9.7	1001-585 .....	9.8	1001-730 .....	9.14
1001-531 .....	9.7	1001-600 .....	9.1	1001-731 .....	9.14
1001-532 .....	9.7	1001-601 .....	9.1	1001-740 .....	9.11
1001-533 .....	9.7	1001-602 .....	9.1	1001-760 .....	9.13
1001-534 .....	9.7	1001-604 .....	9.1	1001-800 .....	8.3
1001-535 .....	9.7	1001-605 .....	9.1	1001-801 .....	8.3
1001-540 .....	9.8	1001-606 .....	9.1	1001-802 .....	8.3
1001-541 .....	9.8	1001-607 .....	9.1	1001-803 .....	8.3
1001-542 .....	9.8	1001-608 .....	9.1	1001-804 .....	8.3
1001-543 .....	9.8	1001-609 .....	9.1	1001-805 .....	8.3
1001-544 .....	9.8	1001-610 .....	9.1	1001-806 .....	8.3
1001-545 .....	9.8	1001-611 .....	9.1	1001-807 .....	8.3
1001-550 .....	6.42, 9.7	1001-620 .....	9.1	1001-808 .....	8.3
1001-551 .....	9.7	1001-621 .....	9.1	1001-809 .....	8.3
1001-552 .....	9.7	1001-622 .....	9.1	1001-810 .....	8.3
1001-553 .....	9.7	1001-624 .....	9.1	1001-811 .....	8.3
1001-554 .....	9.7	1001-626 .....	9.1	1001-812 .....	8.3
1001-555 .....	9.7	1001-628 .....	9.1	1001-813 .....	8.3
1001-560 .....	9.8	1001-629 .....	9.1	1001-814 .....	8.3
1001-561 .....	9.8	1001-630 .....	8.1	1001-815 .....	8.3
1001-562 .....	9.8	1001-631 .....	8.1	1001-816 .....	8.3
1001-563 .....	9.8	1001-632 .....	8.1	1001-817 .....	8.3
1001-564 .....	9.8	1001-633 .....	8.1	1001-818 .....	8.3
1001-565 .....	9.8	1001-634 .....	8.1	1001-819 .....	8.3
1001-570 .....	9.7	1001-635 .....	8.1	1001-820 .....	8.3
1001-571 .....	9.7	1001-636 .....	8.1	1001-821 .....	8.3
1001-572 .....	9.7	1001-637 .....	8.1	1001-822 .....	8.3
1001-573 .....	9.7	1001-638 .....	8.1	1001-823 .....	8.3
1001-574 .....	9.7	1001-639 .....	8.1	1001-824 .....	8.3

1001-825 .....	8.3	1001-926 .....	8.7	1001-1023 .....	8.2
1001-831 .....	9.1	1001-927 .....	8.7	1001-1024 .....	8.2
1001-904 .....	8.5	1001-940 .....	1.12, 8.8	1001-1025 .....	8.2
1001-904C .....	8.6	1001-950 .....	8.9	1001-1026 .....	8.2
1001-905 .....	8.5	1001-951 .....	8.9	1001-1027 .....	8.2
1001-905C .....	8.6	1001-964 .....	1.12, 8.5	1001-1028 .....	8.2
1001-906 .....	8.5	1001-965 .....	1.12, 8.5	1001-1029 .....	8.2
1001-906C .....	8.6	1001-966 .....	1.12, 8.5	1001-1030 .....	8.2
1001-907 .....	8.5	1001-967 .....	1.12, 8.5	1001-1031 .....	8.2
1001-907C .....	8.6	1001-968 .....	1.12, 8.5	1001-1032 .....	8.2
1001-908 .....	8.5	1001-969 .....	1.12, 8.5	1001-1033 .....	8.2
1001-908C .....	8.6	1001-970 .....	1.12, 8.5	1001-1034 .....	8.2
1001-909 .....	8.5	1001-1000 .....	8.2	1001-1035 .....	8.2
1001-909C .....	8.6	1001-1001 .....	8.2	1001-1036 .....	8.2
1001-910 .....	8.5	1001-1002 .....	8.2	1001-1037 .....	8.2
1001-910C .....	8.6	1001-1003 .....	8.2	1001-1038 .....	8.2
1001-914 .....	8.5	1001-1004 .....	8.2	1001-1039 .....	8.2
1001-914C .....	8.6	1001-1005 .....	8.2	1001-1040 .....	8.2
1001-915 .....	8.5	1001-1006 .....	8.2	1001-1041 .....	8.2
1001-915C .....	8.6	1001-1007 .....	8.2	1001-1042 .....	8.2
1001-916 .....	8.5	1001-1008 .....	8.2	1001-1043 .....	8.2
1001-916C .....	8.6	1001-1009 .....	8.2	1001-1044 .....	8.2
1001-917 .....	8.5	1001-1010 .....	8.2	1001-1045 .....	8.2
1001-917C .....	8.6	1001-1011 .....	8.2	1001-1046 .....	8.2
1001-918 .....	8.5	1001-1012 .....	8.2	1001-1047 .....	8.2
1001-918C .....	8.6	1001-1013 .....	8.2	1001-1048 .....	8.2
1001-919 .....	8.5	1001-1014 .....	8.2	1001-1049 .....	8.2
1001-919C .....	8.6	1001-1015 .....	8.2	1001-1050 .....	8.2
1001-920 .....	8.5	1001-1016 .....	8.2	1001-1051 .....	8.2
1001-920C .....	8.6	1001-1017 .....	8.2	1001-1052 .....	8.2
1001-921 .....	8.7	1001-1018 .....	8.2	1001-1053 .....	8.2
1001-922 .....	8.7	1001-1019 .....	8.2	1001-1054 .....	8.2
1001-923 .....	8.7	1001-1020 .....	8.2	1001-1055 .....	8.2
1001-924 .....	8.7	1001-1021 .....	8.2	1001-1056 .....	8.2
1001-925 .....	8.7	1001-1022 .....	8.2	1001-1057 .....	8.2

1001-1058 .....	8.2	1001-1093 .....	8.4	2002-46 .....	2.40
1001-1059 .....	8.2	1001-1094 .....	8.4	2002-48 .....	2.40
1001-1060 .....	8.2	1001-1095 .....	8.4	2002-50 .....	2.40
1001-1061 .....	8.2	1001-1096 .....	8.4	2002-51 .....	2.35
1001-1062 .....	8.2	1001-1097 .....	8.4	2002-52 .....	2.36
1001-1063 .....	8.2	1001-1098 .....	8.4	2002-54 .....	2.42
1001-1064 .....	8.2	1001-1099 .....	8.4	2002-62 .....	2.26
1001-1065 .....	8.2	1001-1100.....	8.4	2002-64 .....	2.26
1001-1066 .....	8.2	1001-1101.....	8.4	2002-66 .....	2.27
1001-1067 .....	8.2	1001-1102.....	8.4	2002-70 .....	2.26
1001-1068 .....	8.2	1001-1103.....	8.4	2002-72 .....	2.27
1001-1069 .....	8.2	1001-1104.....	8.4	2002-76 .....	2.34
1001-1070 .....	8.2	1001-1105.....	8.4	2002-78 .....	2.24
1001-1071 .....	8.2	1001-1106.....	8.4	2002-80 .....	2.31
1001-1072 .....	8.2	1001-1107.....	8.4	2002-82 .....	2.31
1001-1073 .....	8.2	1001-1108.....	8.4	2002-86 .....	2.32
1001-1074 .....	8.2	1001-1109.....	8.4	2002-88 .....	2.32
1001-1075 .....	8.2	1001-1110.....	8.4	2002-90 .....	2.24
1001-1076 .....	8.2	1001-1111 .....	8.4	2002-92 .....	2.25
1001-1077 .....	8.2	2002-13 .....	2.35	2002-94 .....	2.25
1001-1078 .....	8.2	2002-14 .....	2.33	2002-96 .....	2.25
1001-1079 .....	8.2	2002-16 .....	2.33	2002-100 .....	2.28
1001-1080 .....	8.2	2002-22 .....	2.41	2002-106 .....	2.28
1001-1081 .....	8.2	2002-23 .....	2.35	2002-110.....	2.29
1001-1082 .....	8.2	2002-28 .....	2.37	2002-112.....	2.35
1001-1083 .....	8.2	2002-30 .....	2.37	2002-113.....	2.35
1001-1084 .....	8.4	2002-32 .....	2.38	2002-116.....	2.39
1001-1085 .....	8.4	2002-33 .....	2.35	2002-117.....	2.39
1001-1086 .....	8.4	2002-34 .....	2.38	2002-128 .....	2.22
1001-1087 .....	8.4	2002-36 .....	2.38	2002-134 .....	2.22
1001-1088 .....	8.4	2002-38 .....	2.36	2002-184 .....	2.23
1001-1089 .....	8.4	2002-40 .....	2.36	2002-186 .....	2.23
1001-1090 .....	8.4	2002-42 .....	2.34	2002-229 .....	2.20
1001-1091 .....	8.4	2002-43 .....	2.35	2002-230 .....	2.20
1001-1092 .....	8.4	2002-44 .....	2.40	2002-231 .....	2.20

2002-232 .....	2.18	2142-03 .....	8.13	3003-93 .....	4.4
2002-234 .....	2.18	2145-02 .....	6.37	3003-93A.....	4.4
2002-235 .....	2.18, 6.38	2145-03 .....	8.12	3003-94 .....	4.4
2002-236 .....	2.19	2146-03 .....	8.12	3003-94-4 .....	4.4
2002-238 .....	2.19	2150-03 .....	1.12, 8.12, 9.4	3003-94A.....	4.4
2002-240 .....	2.17	3003-02 .....	3.12	3003-150 .....	3.7
2002-242 .....	2.17	3003-03 .....	3.12	3003-152 .....	3.7
2002-244 .....	2.17	3003-04 .....	3.12, 6.39	3003-154 .....	3.7
2002-246 .....	2.17	3003-05 .....	3.12, 6.39	3003-154-3 .....	3.7, 6.46
2002-248 .....	2.21	3003-06 .....	3.12	3003-154-4 .....	3.7
2002-250 .....	2.21	3003-07 .....	3.12	3003-156 .....	3.7
2002-280 .....	1.11, 2.30	3003-09 .....	3.13	3003-156-3 .....	3.7, 6.46
2002-282 .....	1.11, 2.30	3003-46 .....	2.6	3003-156-4 .....	3.7
2002-286 .....	1.11, 2.30	3003-47 .....	2.6	3003-158 .....	3.8
2081-11.....	6.53, 8.14	3003-52 .....	2.5	3003-158-3 .....	3.8, 6.48
2081-12 .....	8.15	3003-54 .....	2.5	3003-158-4 .....	3.8
2081-21 .....	8.14	3003-56 .....	2.5	3003-158-8 .....	3.8, 6.39
2081-23 .....	6.43, 8.15	3003-64 .....	2.8	3003-158-9 .....	3.8
2081-24 .....	8.15	3003-66 .....	2.9	3003-158-10 .....	3.8
2082-10 .....	8.14	3003-67 .....	2.7	3003-159-3 .....	6.48
2082-20 .....	8.15	3003-68 .....	2.9	3003-159 .....	3.8
2083-01 .....	8.14	3003-69 .....	2.12	3003-159-3 .....	3.8
2083-02 .....	8.14	3003-70 .....	2.11	3003-159-4 .....	3.8
2083-03 .....	8.14	3003-72 .....	2.11	3003-159-8 .....	3.8
2083-05 .....	8.14	3003-74 .....	2.15	3003-159-10 .....	3.8
2083-16 .....	8.15	3003-79 .....	2.13	3003-160 .....	3.6
2084-12 .....	8.15	3003-80 .....	2.14	3003-162 .....	3.6
2084-20 .....	8.15	3003-82 .....	2.14	3003-164 .....	3.6, 6.46, 6.48
2133-03 .....	6.3, 8.12	3003-84 .....	2.14	3003-166 .....	3.6
2135-03 .....	1.9, 6.3, 8.12	3003-86 .....	2.14	3003-170 .....	4.5
2138-03 .....		3003-88 .....	2.15	3003-171 .....	4.6
6.33, 6.35, 6.43, 6.45, 6.47, 6.51, 6.55, 8.13		3003-90 .....	4.4	3003-172 .....	4.5
2139-03 .....	8.13	3003-90A.....	4.4	3003-173 .....	4.6
2140-03 .....	6.31, 6.47, 6.51, 8.13	3003-91 .....	4.4	3003-174 .....	4.5
2141-03 .....	6.47, 6.51, 8.13	3003-91A.....	4.4	3003-175 .....	4.6

3003-177 .....	4.6	3003-280 .....	1.10, 2.10	3003-440 .....	4.13
3003-177-3 .....	4.6, 6.49	3003-282 .....	1.10, 2.10	3003-442 .....	4.13
3003-177-4 .....	4.6	3003-286 .....	1.10, 2.10	3003-450 .....	4.11
3003-180 .....	4.5	3003-342 .....	4.1	3003-452 .....	4.11
3003-181 .....	4.6	3003-344 .....	4.1	3003-454 .....	4.11
3003-182 .....	4.5	3003-346 .....	4.1	3003-462 .....	4.15
3003-183 .....	4.6	3003-348 .....	4.1	3003-464 .....	4.15
3003-184 .....	4.5	3003-352 .....	4.2	3003-466 .....	4.15
3003-185 .....	4.6	3003-354 .....	4.2	3003-510 .....	4.7
3003-187 .....	4.6	3003-356 .....	4.2	3003-530 .....	4.7
3003-190 .....	4.5	3003-358 .....	4.2	3003-540 .....	4.7
3003-191 .....	4.6	3003-362 .....	4.2	3003-550 .....	4.10
3003-193 .....	4.6	3003-364 .....	4.2	3003-570 .....	4.10
3003-195 .....	4.6	3003-366 .....	4.2	3003-580 .....	4.10
3003-200 .....	4.5	3003-368 .....	4.2	3003-610 .....	2.3
3003-200-12 .....	4.5	3003-381 .....	4.3, 6.30	3003-611.....	2.3
3003-202 .....	4.5	3003-390 .....	4.3, 6.30	3003-612 .....	2.3
3003-204 .....	4.5	3003-391 .....	4.3, 6.32	3003-613 .....	2.2
3003-207 .....	4.9	3003-402 .....	4.16	3003-614 .....	2.2, 6.38
3003-224 .....	4.8	3003-404 .....	4.16	3003-616 .....	2.1
3003-225 .....	4.9	3003-406 .....	4.16	3003-618 .....	2.1
3003-226 .....	4.8	3003-408 .....	4.16	3003-620 .....	2.1
3003-227 .....	4.9	3003-412 .....	4.12	3003-628 .....	2.4
3003-229 .....	4.9	3003-414 .....	4.12	3003-630 .....	2.4
3003-234 .....	4.9	3003-416 .....	4.12	3003-632 .....	2.3
3003-234-1 .....	4.9, 6.39	3003-418 .....	4.12	3003-633 .....	2.2
3003-235 .....	4.9	3003-422 .....	4.14	3003-634 .....	2.2
3003-236 .....	4.9	3003-424 .....	4.14	3003-636 .....	2.1
3003-237 .....	4.9	3003-426 .....	4.14	3003-637 .....	2.1
3003-238 .....	4.9	3003-428 .....	4.14	3003-638 .....	2.1
3003-239 .....	4.9	3003-430 .....	4.11	3003-710 .....	3.9
3003-243 .....	4.9	3003-432 .....	4.11	3003-712 .....	3.9
3003-261 .....	4.8	3003-434 .....	4.11	3003-714 .....	3.9
3003-263 .....	4.8	3003-436 .....	4.13	3003-716 .....	3.9
3003-265 .....	4.8	3003-438 .....	4.13	3003-720 .....	3.6, 6.39

3003-724 .....	3.6	3003-846 .....	3.15	3784-15 .....	6.28
3003-726 .....	3.6	3003-847 .....	3.15	3784-30 .....	6.28
3003-728 .....	3.6	3003-850 .....	3.15	3784-31 .....	6.28
3003-730 .....	3.9	3003-851 .....	3.15, 6.50	3784-32 .....	6.28
3003-738 .....	3.10	3003-866 .....	4.17	3784-33 .....	6.28
3003-740 .....	3.11	3003-868 .....	4.17	3784-40 .....	6.26
3003-742 .....	3.11	3003-870 .....	4.17	3784-41 .....	6.26
3003-750 .....	3.10	3003-872 .....	4.17	3784-42 .....	6.26
3003-752 .....	3.10	3003-902 .....	3.2	3784-43 .....	6.27
3003-760 .....	3.10	3003-904 .....	3.2	3784-44 .....	6.25
3003-762 .....	3.10	3003-906 .....	3.2	3784-45 .....	6.25
3003-770 .....	3.3, 6.30	3003-908 .....	3.2	3784-80 .....	6.25
3003-774 .....	3.3, 6.32	3003-912 .....	3.2	3784-451 .....	6.25
3003-775 .....	3.3, 6.32	3003-914 .....	3.2	3785-20 .....	1.9, 6.4
3003-776 .....	3.3, 6.32	3003-916 .....	3.2	3785-21 .....	1.9, 6.4
3003-778 .....	3.3, 6.30	3003-918 .....	3.2	3785-22 .....	1.9, 6.4
3003-779 .....	3.3, 6.34	3003-922 .....	3.1	3785-24 .....	1.9, 6.4
3003-780 .....	3.3	3003-924 .....	3.1	3785-26 .....	1.9, 6.4
3003-782 .....	3.3	3003-926 .....	3.1	3785-27 .....	1.9, 6.4
3003-784 .....	3.3	3003-928 .....	3.1	3785-41 .....	1.9, 6.4
3003-786 .....	3.3	3003-932 .....	3.4	3785-42 .....	1.9, 6.4
3003-794 .....	3.13	3003-934 .....	3.4	3785-43 .....	1.9, 6.4
3003-800 .....	6.27	3003-936 .....	3.4	3786-20 .....	1.9, 6.4
3003-804 .....	3.5	3003-938 .....	3.4	3786-21 .....	6.4
3003-806 .....	3.5	3049-90 .....	3.34	3786-22 .....	6.4
3003-810 .....	3.5, 6.30	3049-92 .....	3.34	3786-23 .....	6.4
3003-816 .....	3.5	3190-08 .....	3.27	3786-24 .....	6.4
3003-818 .....	3.5	3781-10 .....	6.26	3786-25 .....	6.4
3003-823 .....	3.14	3781-16 .....	6.26	3786-26 .....	1.9, 6.4
3003-825 .....	3.14	3784-09 .....	6.26	3786-27 .....	1.9, 6.4
3003-832 .....	3.14	3784-10 .....	6.26	3786-28 .....	6.4
3003-840 .....	3.15, 6.50	3784-11.....	6.26	3786-29 .....	1.9, 6.4
3003-841 .....	3.15, 6.50	3784-12 .....	6.26	3786-30 .....	6.5
3003-842 .....	3.15, 6.50	3784-13 .....	6.26	3786-31 .....	6.5
3003-843 .....	3.15	3784-14 .....	6.28	3786-32 .....	6.5



3786-40 .....	6.5	3795-06 .....	6.7	4004-42 .....	3.25
3786-41 .....	1.9, 6.4	3795-08 .....	6.7	4004-43 .....	3.25
3786-42 .....	1.9, 6.4	3795-14 .....	6.7	4004-44 .....	3.25
3786-43 .....	1.9, 6.4	3795-16 .....	6.7	4004-45 .....	3.25
3788-01 .....	5.22	3795-18 .....	6.7	4004-45A .....	3.25
3788-02 .....	5.22, 6.51	3795-20 .....	6.7	4004-46 .....	3.25
3788-04 .....	5.22	3795-22 .....	6.7	4004-47 .....	3.25
3788-05 .....	5.22	3795-24 .....	6.7	4004-48 .....	3.25
3788-06 .....	5.22	3795-28 .....	6.7	4004-50 .....	3.25
3788-08 .....	3.33	3795-50 .....	6.1, 6.3	4004-50A .....	3.25
3788-10 .....	3.33	3795-51 .....	6.1, 6.3	4004-50B .....	3.25
3788-12 .....	4.36	3795-52 .....	1.8, 6.1, 6.3	4004-52 .....	3.25
3788-13 .....	4.36	3795-54 .....	6.1, 6.3	4004-54 .....	3.25
3788-14 .....	4.36	3795-56 .....	1.8, 6.1, 6.3	4004-56 .....	3.28
3788-15 .....	4.36	3795-57 .....	1.8, 6.1, 6.3	4004-57 .....	3.28
3788-27 .....	5.22	4004-039 .....	3.35	4004-59 .....	3.28
3788-29 .....	5.22	4004-043 .....	3.35	4004-62 .....	3.26
3789-01 .....	5.20	4004-01 .....	3.30	4004-63 .....	3.26
3789-02 .....	5.20	4004-02 .....	3.30	4004-65 .....	3.26
3789-03 .....	5.20	4004-03 .....	3.30	4004-76 .....	3.23
3789-04 .....	5.20	4004-03-3A .....	3.21, 3.30, 6.46	4004-77 .....	3.23
3789-07 .....	3.33	4004-04 .....	3.30	4004-79 .....	3.23
3789-08 .....	3.33	4004-05 .....	3.31	4004-79-12 .....	3.23
3789-11 .....	4.35	4004-07 .....	3.31	4004-80 .....	3.27
3789-11T .....	4.17	4004-17 .....	3.31	4004-84 .....	3.27
3789-12 .....	4.35	4004-19 .....	3.31	4004-86 .....	3.27
3789-13 .....	4.35	4004-23 .....	3.31	4004-88 .....	3.27
3789-14 .....	4.35	4004-25 .....	3.32	4004-90 .....	3.27
3789-14-3 .....	4.35, 6.51	4004-27 .....	3.32	4004-92 .....	3.27
3789-16 .....	5.20	4004-28 .....	3.32	4004-94 .....	3.27
3789-17 .....	5.20	4004-29 .....	3.32	4004-95 .....	3.19
3789-20 .....	3.33, 6.37	4004-31 .....	3.32	4004-96 .....	3.19
3795-01 .....	6.6	4004-35 .....	3.32	4004-97 .....	3.21
3795-01A .....	6.6	4004-37 .....	3.28, 6.44	4004-97-3A .....	3.21, 6.48
3795-04 .....	6.7	4004-40 .....	3.25	4004-97A .....	3.21

4004-98 .....	3.19	4004-253 .....	3.17	4383-40 .....	2.16, 6.41
4004-99 .....	3.19	4004-254 .....	3.17	4383-42 .....	2.16, 6.41
4004-108 .....	3.29	4004-256 .....	3.17	4383-44 .....	2.16, 6.41
4004-124 .....	3.29	4004-260 .....	3.18	4383-46 .....	2.16, 6.41
4004-125 .....	3.29	4004-261 .....	3.18	4384-40 .....	2.16, 6.41
4004-185 .....	6.14, 7.36	4004-262 .....	3.18	4384-42 .....	2.16, 6.41
4004-186 .....	6.14, 7.36	4004-263 .....	3.18	4384-44 .....	2.16, 6.41
4004-189 .....	6.14, 7.36	4004-266 .....	3.22	4384-46 .....	2.16, 6.41
4004-204 .....	3.19	4004-268 .....	3.22	4385-40 .....	2.16, 6.41
4004-206 .....	3.19	4004-269 .....	3.22	4385-42 .....	2.16, 6.41
4004-210 .....	3.19	4004-270 .....	3.20	4385-44 .....	2.16, 6.41
4004-212 .....	3.19	4004-272 .....	3.20	4385-46 .....	2.16, 6.41
4004-216 .....	3.16	4004-280 .....	3.17, 3.18	4447-07 .....	2.51
4004-217 .....	3.16	4004-282 .....	3.17, 3.18	4447-09 .....	2.51
4004-220 .....	3.16	4004-305 .....	3.19	4545-09 .....	2.55
4004-221 .....	3.16	4004-320 .....	3.16	4635-06 .....	2.55
4004-224 .....	3.16, 6.44	4004-330 .....	3.16	5005-001 .....	2.45
4004-225 .....	3.16	4004-346 .....	3.24	5005-00 .....	2.45
4004-226 .....	3.16	4004-350 .....	3.24	5005-01 .....	2.46
4004-227 .....	3.16	4004-394 .....	3.29	5005-02 .....	2.46
4004-228 .....	3.16	4155-06 .....	4.28	5005-03 .....	2.46
4004-230 .....	3.20	4155-07 .....	4.28	5005-05 .....	2.46
4004-232 .....	3.20	4157-77 .....	4.28	5005-13 .....	2.48
4004-235 .....	3.18	4375-08 .....	2.52	5005-15 .....	2.48
4004-238 .....	3.24	4375-09 .....	2.52	5005-23 .....	2.48
4004-239 .....	3.24	4375-10 .....	2.52	5005-25 .....	2.48
4004-240 .....	3.24	4375-11 .....	2.52	5005-33 .....	2.48
4004-242 .....	3.24	4375-12 .....	2.52	5005-35 .....	2.48
4004-244 .....	3.24	4375-14 .....	2.52	5005-37 .....	2.48
4004-245 .....	3.24	4377-08 .....	2.53, 6.38	5005-39 .....	2.48
4004-246 .....	3.24	4377-09 .....	2.53	5005-43 .....	2.49
4004-248 .....	3.24	4377-11 .....	2.53	5005-45 .....	2.49
4004-250 .....	3.17	4377-12 .....	2.53	5005-47 .....	2.50
4004-251 .....	3.17	4377-28 .....	2.54	5005-49 .....	2.50
4004-252 .....	3.17	4377-30 .....	2.54	5005-51 .....	2.50

5005-53 .....	2.50	6006-52 .....	4.19	6006-131 .....	4.22
5005-60 .....	2.44	6006-54 .....	4.19	6006-132 .....	4.22
5005-62 .....	2.44	6006-56 .....	4.19	6006-133 .....	4.22
5005-64 .....	2.44	6006-56-3 .....	4.19, 6.47	6006-139 .....	4.18
5005-80 .....	2.43, 6.53, 6.55	6006-58 .....	4.24	6006-148 .....	4.27
5005-82 .....	2.46, 6.52, 6.54	6006-59 .....	4.20	6006-152 .....	4.27
5005-86 .....	2.47, 6.52, 6.54	6006-61 .....	4.20	6006-158 .....	4.25
5005-88 .....	2.47, 6.52, 6.54	6006-62 .....	4.24	6006-159 .....	4.25
6006-02 .....	4.30	6006-63 .....	4.20	6006-160 .....	4.25
6006-04 .....	4.29	6006-65 .....	4.20	6006-170 .....	4.26
6006-05 .....	4.34	6006-70 .....	4.24	6006-174 .....	4.26
6006-08 .....	4.32	6006-72 .....	4.24	6006-310 .....	4.23
6006-10 .....	4.32	6006-82 .....	4.20	6006-330 .....	4.23
6006-12 .....	4.32	6006-84 .....	4.20	6006-334 .....	4.23
6006-14 .....	4.32	6006-86 .....	4.20	6006-340 .....	4.23
6006-15 .....	4.34	6006-88 .....	4.20	6006-610 .....	4.33
6006-16 .....	4.34	6006-90 .....	4.25	6006-620 .....	4.33
6006-17 .....	4.32	6006-92 .....	4.25	6006-630 .....	4.33
6006-19 .....	4.32	6006-94 .....	4.25	7007-02 .....	5.46
6006-20 .....	4.31	6006-100 .....	4.26	7007-06 .....	5.46
6006-24 .....	4.31	6006-102 .....	4.26	7007-25 .....	5.27
6006-28 .....	4.31	6006-104 .....	4.26	7007-26 .....	5.27
6006-29 .....	4.30	6006-108 .....	4.25	7007-27 .....	5.27
6006-32 .....	4.31	6006-110 .....	4.25	7007-28 .....	5.27
6006-33 .....	4.30	6006-112 .....	4.25	7007-30 .....	5.28
6006-36 .....	4.31	6006-120 .....	4.21	7007-32 .....	5.28
6006-37 .....	4.30	6006-121 .....	4.21	7007-33 .....	5.28
6006-40 .....	4.31	6006-122 .....	4.21	7007-34 .....	5.28
6006-41 .....	4.30	6006-123 .....	4.21	7007-35 .....	5.28
6006-44 .....	4.18	6006-124 .....	4.21	7007-40 .....	5.25
6006-45 .....	4.18	6006-125 .....	4.21	7007-40-5 .....	5.25
6006-46 .....	4.18	6006-127 .....	4.21	7007-42 .....	5.25
6006-47 .....	4.18	6006-128 .....	4.22	7007-42-5 .....	5.25
6006-48 .....	4.18	6006-129 .....	4.22	7007-44 .....	5.25
6006-50 .....	4.19	6006-130 .....	4.22	7007-44-5 .....	5.25

7007-46 .....	5.25	7007-204 .....	5.37	7007-221SC .....	5.32
7007-46-5 .....	5.25	7007-204SC .....	5.37	7007-222 .....	5.32
7007-48 .....	5.25	7007-205SC .....	5.37	7007-222SC .....	5.32
7007-48-5 .....	5.25	7007-206 .....	5.37	7007-222-1 .....	5.33
7007-50 .....	5.26	7007-206SC .....	5.37	7007-222-1SC .....	5.33
7007-50-5 .....	5.26	7007-207SC .....	5.37	7007-222-2SC .....	5.34
7007-56 .....	5.31	7007-208SC .....	5.29	7007-223-2SC .....	5.34
7007-58 .....	5.31	7007-210 .....	5.29	7007-224 .....	5.32
7007-60 .....	5.31	7007-210SC .....	5.29, 6.53, 6.55	7007-224SC .....	5.32
7007-62 .....	5.31	7007-211 .....	5.29	7007-224-1SC .....	5.33
7007-64 .....	5.31	7007-211SC .....	5.29, 6.40	7007-224-2SC .....	5.34
7007-76 .....	5.45	7007-214 .....	5.32	7007-226-1SC .....	5.33
7007-78 .....	5.45	7007-214SC .....	5.32	7007-226SC .....	5.32
7007-84 .....	5.35	7007-215-2 .....	5.34	7007-230SC .....	5.32
7007-104 .....	5.6	7007-215-2SC .....	5.34	7007-232SC .....	5.38
7007-105 .....	5.6	7007-216 .....	5.32	7007-236 .....	5.38
7007-106 .....	5.6	7007-216SC .....	5.32	7007-236SC .....	5.38
7007-108 .....	5.6	7007-216-1 .....	5.33	7007-237 .....	5.38
7007-110 .....	5.6	7007-216-1SC .....	5.33	7007-237SC .....	5.38
7007-112 .....	5.15	7007-216-2 .....	5.34	7007-242 .....	5.38
7007-116 .....	5.15	7007-216-2SC .....	5.34	7007-242SC .....	5.38
7007-120 .....	5.18	7007-217SC .....	5.32	7007-250 .....	5.24
7007-124 .....	5.18	7007-218 .....	5.32	7007-250SC .....	5.24
7007-126 .....	5.18	7007-218SC .....	5.32	7007-250-5 .....	5.24
7007-128 .....	5.8	7007-218-1 .....	5.33	7007-250-5SC .....	5.24
7007-130 .....	5.8	7007-218-1SC .....	5.33	7007-252 .....	5.24
7007-132 .....	5.8	7007-218-2 .....	5.34	7007-252SC .....	5.24
7007-134 .....	5.8	7007-218-2SC .....	5.34	7007-252-5 .....	5.24
7007-140 .....	5.13, 6.47, 6.49	7007-218-3SC .....	5.33, 6.40	7007-252-5SC .....	5.24
7007-167 .....	5.23	7007-219SC .....	5.32	7007-254 .....	5.24
7007-168 .....	5.23	7007-220 .....	5.32	7007-254SC .....	5.24, 6.40
7007-200 .....	5.41	7007-220SC .....	5.32	7007-254-5 .....	5.24
7007-200SC .....	5.41	7007-220-1 .....	5.33	7007-254-5SC .....	5.24
7007-202 .....	5.41	7007-220-1SC .....	5.33	7007-256 .....	5.24
7007-202SC .....	5.41	7007-220-2SC .....	5.34	7007-256SC .....	5.24

7007-256-5 .....	5.24	7007-298SC .....	5.30	7007-426 .....	5.5
7007-256-5SC .....	5.24	7007-300 .....	5.30	7007-427 .....	5.2
7007-258 .....	5.24	7007-300SC .....	5.30	7007-428 .....	5.5
7007-258SC .....	5.24	7007-302SC .....	5.44	7007-429 .....	5.2
7007-258-5 .....	5.24	7007-304SC .....	5.44	7007-440 .....	5.12
7007-258-5SC .....	5.24	7007-306SC .....	5.44	7007-440-8 .....	5.14
7007-260 .....	5.26	7007-311SC.....	5.39	7007-442 .....	5.12
7007-262SC .....	5.30, 6.31, 6.35	7007-313 .....	5.29	7007-442-8 .....	5.14
7007-260-5 .....	5.26	7007-313SC .....	5.29	7007-444 .....	5.12
7007-260-5SC .....	5.26	7007-315 .....	5.29	7007-444-8 .....	5.14
7007-263SC .....	5.30	7007-315SC .....	5.29	7007-446 .....	5.12
7007-264 .....	5.30	7007-320 .....	5.28	7007-446-8 .....	5.14
7007-264SC .....	5.30	7007-320SC .....	5.28, 6.40	7007-448 .....	5.12
7007-266SC .....	5.30	7007-395SC .....	5.43	7007-449 .....	5.11
7007-268 .....	5.30	7007-397SC .....	5.43	7007-449-8 .....	5.14
7007-268SC .....	5.30	7007-401 .....	5.9	7007-450 .....	5.16
7007-270SC .....	5.36	7007-402 .....	5.9	7007-452 .....	5.16
7007-272SC .....	5.36	7007-403 .....	5.9	7007-453 .....	5.16
7007-274 .....	5.36	7007-404 .....	5.9	7007-454 .....	5.16
7007-274SC .....	5.36	7007-410 .....	5.15	7007-456 .....	5.16
7007-276SC .....	5.36	7007-411.....	5.11	7007-458 .....	5.16
7007-278 .....	5.36	7007-412 .....	5.15	7007-460 .....	5.7
7007-278SC .....	5.36	7007-413 .....	5.11	7007-462 .....	5.7
7007-280SC .....	5.36	7007-414 .....	5.15	7007-464 .....	5.7
7007-282SC .....	5.40	7007-415 .....	5.11	7007-466 .....	5.7
7007-284SC .....	5.40	7007-416 .....	5.15	7007-468 .....	5.7
7007-286 .....	5.40	7007-417 .....	5.11	7007-470 .....	5.13
7007-286SC .....	5.40	7007-418 .....	5.15	7007-479 .....	5.17
7007-288SC .....	5.40	7007-419 .....	5.11	7007-481 .....	5.17
7007-292SC .....	5.42	7007-420 .....	5.5	7007-483 .....	5.17
7007-294 .....	5.42	7007-421 .....	5.2	7007-485 .....	5.17
7007-294SC .....	5.42	7007-422 .....	5.5	7007-487 .....	5.17
7007-295 .....	5.42	7007-423 .....	5.2	7007-490 .....	5.3
7007-295SC .....	5.42	7007-424 .....	5.5	7007-490-8 .....	5.4
7007-296SC .....	5.30	7007-425 .....	5.2	7007-492 .....	5.3

7007-492-8 .....	5.4	8008-14 .....	5.47	8008-476 .....	6.12
7007-494 .....	5.3	8008-15 .....	5.48	8008-478 .....	6.12
7007-494-8 .....	5.4	8008-41 .....	6.21	8008-480 .....	6.12
7007-496 .....	5.3	8008-42 .....	6.21	8008-482 .....	6.12
7007-496-8 .....	5.4	8008-43 .....	6.20	8008-484 .....	6.12
7007-498 .....	5.3	8008-45 .....	6.22	8008-486 .....	6.12
7007-499 .....	5.3	8008-47 .....	6.22	8008-488 .....	6.12
7007-499-8 .....	5.4	8008-81 .....	6.23	8008-493 .....	6.12
7007-506 .....	5.19, 6.34	8008-230 .....	6.14, 6.52, 6.54	8008-494 .....	6.12
7007-507 .....	5.19, 6.34	8008-232 .....	6.14, 6.53, 6.55	8008-495 .....	6.12
7007-508 .....	5.21	8008-236 .....	6.14, 6.52, 6.54	9009-10 .....	9.5
7007-509 .....	5.21	8008-400 .....	6.10	9009-11.....	9.4
7007-510 .....	5.21	8008-405 .....	6.10	9009-12 .....	9.5
7007-511.....	5.21, 6.31	8008-410 .....	6.11	9009-13 .....	9.2, 9.4
7007-514 .....	5.21, 6.33	8008-420 .....	6.11	9009-14 .....	9.2, 9.4, 9.5
7007-521 .....	5.21, 6.31	8008-420-4 .....	6.11	9009-15 .....	9.2, 9.4
7007-522 .....	5.21, 6.33	8008-430 .....	6.11	9009-16 .....	9.3
7007-538 .....	5.10	8008-432 .....	6.11	9009-18 .....	9.3
7007-539 .....	5.10	8008-448A.....	6.12	9009-20 .....	9.3
7007-540 .....	5.10	8008-448B.....	6.12	9009-21 .....	9.3
7007-542 .....	5.10	8008-448C.....	6.12	9009-22 .....	9.3
7007-544 .....	5.10	8008-449A.....	6.12	9009-23 .....	9.3
7007-546 .....	5.10	8008-449B.....	6.12	9009-24 .....	9.2, 9.4, 9.5
7007-548 .....	5.10	8008-449C.....	6.12	9009-26 .....	9.5
7007-590 .....	5.1	8008-452 .....	6.12	9009-48 .....	6.13
7007-592 .....	5.1	8008-454 .....	6.12	9009-48A.....	6.13
7007-594 .....	5.1	8008-456 .....	6.12	9009-48B.....	6.13
7007-596 .....	5.1	8008-458 .....	6.12	9009-48C.....	6.13
7007-598 .....	5.1	8008-460 .....	6.12	9009-49 .....	6.13
8008-02 .....	6.18	8008-462 .....	6.12	9009-49A.....	6.13
8008-04 .....	6.18	8008-464 .....	6.12	9009-49B.....	6.13
8008-06 .....	6.18	8008-466 .....	6.12	9009-49C.....	6.13
8008-10 .....	6.19	8008-468 .....	6.12	9009-50 .....	6.13
8008-11.....	6.19	8008-472 .....	6.12	9009-52 .....	6.13
8008-12 .....	5.47	8008-474 .....	6.12	9009-54 .....	6.13

9009-56 .....	6.13	9009-150 .....	6.29, 6.45	9009-395 .....	6.2, 6.3
9009-58 .....	6.13	9009-152 .....	6.29, 6.45	9009-420 .....	7.22
9009-60 .....	6.13	9009-210 .....	7.15	9009-422 .....	7.22
9009-62 .....	6.13	9009-211.....	7.15	9009-506 .....	9.9
9009-64 .....	6.13	9009-212 .....	1.5, 7.15	9009-506A.....	9.9
9009-66 .....	6.13	9009-213 .....	1.5, 7.15	9009-510 .....	7.21
9009-68 .....	6.13	9009-222 .....	7.7	9009-511.....	7.21
9009-70 .....	6.13	9009-223 .....	7.7	9009-512 .....	7.21
9009-72 .....	6.13	9009-225 .....	7.7	9009-513 .....	7.21
9009-74 .....	6.13	9009-226 .....	7.5	9009-516 .....	7.21
9009-76 .....	6.13	9009-227 .....	7.4	9009-517 .....	7.21
9009-78 .....	6.13	9009-228 .....	7.4	9009-520 .....	7.21
9009-80 .....	6.13	9009-229 .....	1.1, 7.3	9009-521 .....	7.21
9009-82 .....	6.13	9009-230 .....	1.1, 7.3	9009-522 .....	7.21
9009-84 .....	6.13	9009-240 .....	7.14	9009-523 .....	7.21
9009-86 .....	6.13	9009-241 .....	7.14	9009-524 .....	7.21
9009-88 .....	6.13	9009-250 .....	1.7, 7.17	9009-525 .....	7.21
9009-92 .....	6.13	9009-251 .....	1.7, 7.17	9009-528 .....	7.20
9009-93 .....	6.13	9009-252 .....	1.7, 7.17	9009-540 .....	7.28
9009-94 .....	6.13	9009-253 .....	1.7, 7.17	9009-541 .....	7.28
9009-95 .....	6.13	9009-270 .....	7.8	9009-542 .....	7.28
9009-100 .....	6.24	9009-280 .....	7.10	9009-543 .....	7.28
9009-104 .....	6.24	9009-281 .....	7.10	9009-550 .....	7.28
9009-106 .....	6.24	9009-300 .....	7.2	9009-551 .....	7.28
9009-110.....	6.24	9009-301 .....	7.2	9009-552 .....	7.28
9009-120 .....	6.15	9009-302 .....	7.1	9009-553 .....	7.28
9009-121 .....	6.15	9009-303 .....	7.1	9009-560 .....	7.29
9009-122 .....	6.15	9009-310 .....	7.2	9009-561 .....	7.29
9009-123 .....	6.15	9009-311.....	7.2	9009-562 .....	7.29
9009-126 .....	5.48, 6.15	9009-312 .....	7.1	9009-563 .....	7.29
9009-128 .....	5.48, 6.15	9009-313 .....	7.1	9009-570 .....	7.29
9009-142 .....	6.27 , 6.44	9009-360 .....	6.36	9009-571 .....	7.29
9009-144 .....	6.24, 6.41, 6.44	9009-364 .....	6.36	9009-572 .....	7.29
9009-146 .....	6.24, 6.41, 6.44	9009-380 .....	6.36	9009-573 .....	7.29
9009-148 .....	2.43, 6.38, 6.44	9009-393 .....	1.8, 6.2, 6.3	9009-618 .....	7.25

9009-636 .....	7.24	9009-921 .....	7.34	9009-973 .....	6.8, 6.9
9009-637 .....	7.24	9009-922 .....	7.35	9009-974 .....	6.8, 6.9
9009-638 .....	7.24	9009-928 .....	6.8	9009-975 .....	6.8, 6.9
9009-639 .....	7.24	9009-928-3 .....	6.8	9009-977 .....	6.8, 6.9
9009-640 .....	7.27	9009-929 .....	6.8	9009-979 .....	6.8, 6.9
9009-642 .....	7.27	9009-929-3 .....	6.8	9009-980 .....	6.8
9009-648 .....	7.23	9009-930 .....	6.8	9009-981 .....	6.8, 6.9
9009-650 .....	7.23	9009-934 .....	6.8	9009-982 .....	6.8, 6.9
9009-716SC .....	6.37, 7.18	9009-940 .....	6.8	9009-983 .....	6.8, 6.9
9009-718SC .....	6.37, 7.18	9009-941 .....	6.8, 6.9	9009-984 .....	6.8, 6.9
9009-738SC .....	7.18	9009-942 .....	6.8, 6.9	9009-985 .....	6.8, 6.9
9009-816 .....	7.36	9009-943 .....	6.8, 6.9	9009-987 .....	6.8, 6.9
9009-820 .....	7.36	9009-944 .....	6.8, 6.9	9009-989 .....	6.8, 6.9
9009-827-11 .....	7.30	9009-945 .....	6.8, 6.9	9009-990 .....	6.8
9009-827-12 .....	7.30	9009-947 .....	6.8, 6.9	9009-991 .....	6.8, 6.9
9009-827-13 .....	1.6, 7.30	9009-949 .....	6.8, 6.9	9009-992 .....	6.8, 6.9
9009-827-15 .....	1.6, 7.30	9009-950 .....	6.8	9009-993 .....	6.8, 6.9
9009-828 .....	7.30	9009-951 .....	6.8, 6.9	9009-994 .....	6.8, 6.9
9009-828-15 .....	1.6, 7.30	9009-952 .....	6.8, 6.9	9009-995 .....	6.8, 6.9
9009-828-16 .....	7.30	9009-953 .....	6.8, 6.9	9009-997 .....	6.8, 6.9
9009-838SC .....	7.31	9009-954 .....	6.8, 6.9	9009-999 .....	6.8, 6.9
9009-840SC .....	7.31	9009-955 .....	6.8, 6.9	9909-202 .....	7.16
9009-842SC .....	7.31	9009-957 .....	6.8, 6.9	9909-203 .....	7.16
9009-900 .....	7.34	9009-959 .....	6.8, 6.9	9909-219 .....	7.9
9009-901 .....	7.34	9009-960 .....	6.8	9909-221 .....	7.9
9009-905 .....	7.35	9009-961 .....	6.8, 6.9	9909-222 .....	7.9
9009-908 .....	7.32	9009-962 .....	6.8, 6.9	9909-224 .....	7.17
9009-909 .....	7.32	9009-963 .....	6.8, 6.9	9909-225 .....	7.17
9009-910 .....	7.32	9009-964 .....	6.8, 6.9	9909-226 .....	7.17
9009-911.....	7.32	9009-965 .....	6.8, 6.9	9909-227 .....	7.17
9009-914 .....	7.33	9009-967 .....	6.8, 6.9	9909-232 .....	7.11
9009-915 .....	7.33	9009-969 .....	6.8, 6.9	9909-234 .....	1.4, 7.13
9009-916 .....	7.33	9009-970 .....	6.8	9909-610 .....	7.26
9009-917 .....	7.33	9009-971 .....	6.8, 6.9	9909-612 .....	7.26
9009-920 .....	7.34	9009-972 .....	6.8, 6.9	9909-910SC .....	7.19



9909-911SC.....	7.19
9909-912 .....	7.11
9909-912-13 .....	7.11
9909-913 .....	7.13
9909-914 .....	7.12
9909-915 .....	7.12
9909-920 .....	7.5
9909-921 .....	7.4
9909-922 .....	7.4
9909-923 .....	7.5
9909-924 .....	1.2, 7.5
9909-926 .....	7.6
9909-927 .....	7.6
9909-940 .....	1.3, 7.8
9999-100 .....	6.30
9999-101 .....	6.32
9999-102 .....	6.34
9999-109 .....	6.36
9999-150 .....	6.52
9999-151 .....	6.54
9999-162 .....	6.46
9999-163 .....	6.48
9999-164 .....	6.50
9999-166 .....	6.46, 6.48, 6.50
9999-181 .....	6.38
9999-192 .....	6.44

**SCANLAN® Instrumentation** is guaranteed to be free from defects in materials and workmanship for ten full years. Any instrument which proves defective when used for its intended purpose will be repaired or replaced at no charge, at the sole discretion of Scanlan International, Inc. This warranty is in lieu of all other warranties, either expressed or implied.

In no event shall seller be liable to buyer, or any successors of buyer, for any claim for lost opportunity, loss of goodwill, or consequential or incidental damages of any kind for any amount in excess of the price of the product. Seller agrees to replace or to issue credit at seller's sole option any product determined to be defective in materials or workmanship. Seller shall not be responsible for the cost of labor or charges of any kind incurred due to product defect. Your rights under this warranty may vary from state to state and country to country. **IMPORTANT: All SCANLAN® instruments must be returned to Scanlan International for refurbishment. Refurbishment of Scanlan instrumentation by any other resource will void the Scanlan warranty.**

**SCANLAN® V.I.P.™ Instrument Sterilization Trays:** SCANLAN® V.I.P.™ instrument sterilization trays are warranted for 12 months against defects in material or workmanship.

**SCANLAN® DIAMOND DUST™ Instrumentation:** SCANLAN® DIAMOND DUST™ jaws are guaranteed for 12 months. If needed, the DIAMOND DUST™ surface will be restored at no charge during the initial 12 month period.

**Needle Holders:** The use of suture needles larger than those recommended may result in damage and invalidate your warranty. Please see The Suture Size Guide for SCANLAN® Needle Holders for recommendations regarding the use of suture needles with SCANLAN® instrumentation. A copy of this publication is packaged with every SCANLAN® needle holder and is also available upon request.

**Titanium Instrumentation:** Different shades of blue may be found within the extensive line of anodized SCANLAN® titanium instrumentation. This is not a defect, but a phenomenon which occurs due to slight variations of manufacture technique or alloy composition. This is a cosmetic characteristic only and does not compromise the high quality of your SCANLAN® titanium instrumentation.

**Scissors:** Do not cut suture, gauze, or wire with scissors unless it was designed to cut those materials. All SCANLAN® Super Cut™ & Ultra Sharp® scissors must be returned to Scanlan International for complete refurbishment and sharpening in order to maintain the unique cutting edge.

**SCANLAN® Premier™ Scissors:** Sharpness of SCANLAN® Premier™ Scissors is guaranteed for 12 months. If needed, resharpening will be performed at no charge during the 12 month period.

**Heifetz™ Clips, Yasargil Clips:** Product in the original packaging may be returned for full credit within 60 days domestic and 90 days international of invoice date. All used product will be considered FIRM SALE. Warranted for 12 months against defects in material or workmanship.

**Reliance Bulldog Clamp:** Warranty for materials and workmanship will be one year. All sales are considered FIRM SALE.

**PLEASE NOTE:** Instrument designs may change without prior notice. We are proud of the handcrafted quality of our instruments, which can cause slight variations in instrument patterns.

**IMPORTANT:**  
All instruments must be decontaminated before returning to Scanlan International.

Please identify decontaminated product by marking "decontaminated" on the outer shipping carton.

**DEAR CUSTOMER, PLEASE NOTE:** Due to the nature of our surgical instrumentation manufacturing process and our strict quality standards, various instrument patterns may occasionally be unavailable. We apologize for this inconvenience, however, each of our instruments is made by hand in a tradition of high quality craftsmanship. Therefore, scheduled delivery dates may change. We strive to be accurate as possible regarding this information, however dates may become extended and availability dates may change. Again, we apologize for this inconvenience. We will be happy to assist you in choosing an alternative instrument, as well as assist you in any way we can.

SCANLAN®  
Care & Maintenance

- To maintain optimum operating condition and to protect your warranty of SCANLAN® instrumentation, we recommend the following along with your general maintenance:
- Clean:** Make certain that all blood and debris are removed from the instrument as soon as possible after use. Do not allow blood to dry on the instrument.
  - Lubricate:** After a thorough cleaning and rinsing, treat the instrument with an antimicrobial water-soluble instrument lubricant.
  - Identify:** Scanlan can provide safe and appropriate instrument identification marking system(s) upon request. Do not use a mechanical engraver to mark the instrument. **If you engrave the instrument, the warranty will be invalidated.**
  - Repair, Refurbish or Sharpen:** Have this instrument repaired, refurbished, or sharpened only by a Scanlan-authorized facility. **Servicing by an unauthorized facility will invalidate the warranty.**
  - Sterilize & Store:** Instruments should always be sterilized and stored in an "open" and unlocked position. This increases the life of the instrument, prevents possible breakage, and is recommended by established standards.
  - Protect:** Be certain all delicate tipped instruments are covered with a device specially designed for instrument protection (such as SCANLAN® Tip Guard™ instrument protectors) during storage and sterilization.
  - Use:** Instrument must be used for its intended purpose only. **Improper use or care will invalidate warranty.**
  - Modifications:** Modifications and repair of instruments are available and must be done only through an authorized facility. Modifications by an unauthorized facility will invalidate the warranty.



- IMPORTANT:** Clean and sterilize before first and subsequent uses. Reprocessing instructions are available from Scanlan International, Inc.
- IMPORTANT:** All instruments must be decontaminated before returning to Scanlan International. Please identify decontaminated product by marking "decontaminated" on the outer shipping carton.
- IMPORTANT:** Destroy instruments that might have been contaminated with prions (CJD) - Do not reuse.

For further information on maintaining the quality of your surgical instrumentation, a reference guide entitled, Care & Maintenance of Scanlan® Surgical Instrumentation, is available upon request.

For more information contact your local Scanlan Distributor or call: U.S. & Canada 800-328-9458  
International: 651-298-0997 or Fax: 651-298-0018



INCHES

CENTIMETERS

**For more information or  
to place an order,**  
please contact your local  
Scanlan representative,  
or call...

U.S. & Canada: 800-328-9458  
International: 651-298-0997  
FAX: 651-298-0018  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



**SCANLAN ★**

**INTERNATIONAL**

*Surgical products designed and manufactured by the Scanlan family since 1921*

ONE SCANLAN PLAZA • SAINT PAUL, MINNESOTA 55107 • U.S.A.  
800-328-9458 • 651-298-0997 • FAX 651-298-0018 • [www.scanlaninternational.com](http://www.scanlaninternational.com)

MK-CAT-2016  
©2016 Scanlan International, Inc.